ADDENDUM A - PROVIDER ELECTRONIC BILLING FILE AND RECORD FORMATS

	Section
Recommended Physical File Specifications - Magnetic Tape	1
File Specifications - Media Other Than Magnetic Tape	2
Record Specifications	3
Key to Records	4
Record Layouts	5
Coordination of Benefits Records	6

Recommended Physical File Specifications - Magnetic Tape. -- Tape Characteristics -9 Track, 8 1/2" to 10 1/2" reels with silver mylar reflector (standard reels) with write ring removed or 3480 tape cartridges.

Parity - Odd

Recording Density - 6250 bytes per inch.

Recording Code - Extended Binary Coded Decimal.

File Label - None. The tape must have an end of file mark. The first data record on the file identifies the submitter and receiver, and serves as the file label.

Physical Record Length - 192 characters.

Block Size: 32,640 characters; i.e., a blocking factor of 170.

Unfilled Final Block - Fill with spaces.

The external label on the reel must appear as follows:

om <u>a</u> To <u>b</u> eel Number <u>c</u> Claim Types <u>d</u> lling Date <u>e</u> // Medicare // Medicaid /_/ Other ecording Density 6250 BPI	<u>d</u>
---	----------

- (a) Identification of submitter
- Identification of intended recipient (b)
- Unique number by which tape is identified in submitter's tape library (c)
- Types of claims on the tape; e.g., inpatient hospital, inpatient SNF, outpatient hospital Date tape created (MMDDYY) (d)
- (e)
- Check one: Medicare, Medicaid, or Other

2. File Specifications - Media Other Than Magnetic Tape.--

File Label - None

Physical Record Length - 192 characters

External Label - Same as magnetic tape, a thru f, for media other than telecommunications.

Other specifications will be agreed upon between provider and intermediary with the concurrence of the appropriate Regional Administrator.

A-2 Rev. 1743

- 3. Record Specifications.--The logical claim record is made up of a series of 192 character physical records. The physical records for each claim are divided into logical subsets as follows:

 - Subset 1 Patient Data Record Codes 20-29 Subset 2 Third Party Data Record Codes 30-39
 - Subset 3 Claim Request Data Record Codes 40-49
 - Subset 4 Inpatient Accommodations Data Record Codes 50-59
 - Subset 5 Ancillary Services Data Record Codes 60-69
 - Subset 6 Medical Data Record Codes 70-79
 - Subset 7 Physician Data Record Codes 80-89

The record layouts that follow will provide the following data:

- 1. Record Name: The name of the data record.
- Record Type: Code indicating the type of record.
 Record Size: Physical length of record. Constant 192.
- 4. Field Number
- 5. Field Name
- 6. Picture: This is the COBOL picture. Pic X is initialized to blanks and Pic 9 is initialized to zeroes. All money fields and date fields are Pic 9. All code fields that have a legitimate value of zero are Pic X. This makes it possible to detect whether a field is omitted.

 7. Field Specification: This indicates how the data field is justified.

 1. I aft instiffaction and P. = Pickt instiffaction.
 - - L = Left justification, and R = Right justification.
 - 8. Position:
 - From = Leftmost position in the record (high order).
 - Thru = Rightmost position in the record (low order).
 - 9. All filler fields are reserved for national use unless otherwise specified.

Rev. 1707 A-3

4. Key to Records

	Record Name	D 1 T C 1
	Processor Data Additional Coordination of Benefits (COB) Information Reserved for National Assignment Local Use	Record Type Code 01 02 03-04 05-09
	Provider Data Reserved for National Assignment Local Use	10 11-14 15-19
1	Patient Data Noninsured Employment Information Unassigned State Form Locators Reserved for National Assignment Local Use	20 21 22 23-24 25-29
	Third Party Payer Data Reserved for National Assignment Authorization Local Use	30-32 33 34 35-39
	Claim Data TAN-Occurrence Claim Data Condition-Value *Claim Change Reason Code Reserved for National Assignment Local Use	40 41 42 43-44 45-49
	IP Accommodations Data * IP - Amount Paid by Primary Payer Reserved for National Assignment Local Use	50 51 52-54 55-59
	IP Ancillary Services Data Outpatient Procedures * IP Ancillary Services Data - Amount Paid by Primary Payer * Outpatient Procedures * Ancillary or OP Reason Codes Local Use	60 61 62 63 64 65-69
	Medical Data Plan of Treatment and Patient Information Specific Services and Treatments Plan of Treatment/Medical Update Narrative Patient Information Medical Documentation for Ambulance Claims ESRD Medical Documentation Plan of Treatment for Outpatient Rehabilitation Reserved for National Assignment Local Use	70 71 72 73 74 75 76 77 78 79
1	* COR specific records	

* COB specific records.

A-4 Rev. 1707

BILL REVIEW ADDENDUM A (Cont.) 11-00

Record Name	Record Type Code
Physician Data	80
Reserved for National Assignment	81-84
Local Use	85-89
Claim Control Screen	90
Remarks (Overflow from RT 90)	91
* Claim Control Totals	92
Reserved for National Assignment	93-94
Provider Batch Control	95
Local Use	96-97
* Provider Chain Control	98
File Control	99

5. Record Layouts

RECORD TYPE 01 - PROCESSOR DATA

- o Must be first record on file.
- o Must be followed by RT 10.

NOTE: Files will be formatted so that this is a <u>data</u> record, not a conventional label. From a system standpoint, this will be a 'labelless' file.

The processor data record will be the first record on each reel.

This record indicates, in fields 5 thru 7, the class and identification of the organization designated to receive this file or transmission. If the code in field 5 is a "Z", the file contains records for multiple primary payers. In this case, the employer identification number (EIN), also known as the tax identification number (TIN), identifies the organization designated to receive this tape or transmission. Otherwise, the code in field 5 designates the types of primary payer. Field 6 contains the receiver/primary payer identification (NAIC number for commercials, Blue Cross number for PLANS, as indicated by each State agency for Medicaid, as assigned by CHAMPUS where applicable, etc.). For commercial insurers, Field 7 contains the specific office within the insurance carrier designated to receive this tape or transmission. For Blue Cross Plans, this field will be used as designated by the Plan receiving the file.

It is recommended that you and other billers establish a protocol limiting a file to a single reel of tape, single disk, cartridge, or cassette. In the event a file exceeds that limit, the reel, cartridge, or disk must end in a batch control (record type (RT) 95).

RECORD TYPE 01 - PROCESSOR DATA

	FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITIO	ON
	NO.	FIELD NAIVIE	FICTURE	CATION	FROM	THRU
	1	Record type '01' Submitter EIN	XX	L	1	2
	2 3	Submitter EIN	9(10)	R	3	12
	3	Multiple Provider Billing	_			
		File Indicator	9	_	13	13
	4 5 6 7	Filler (National Use)	X(17) X	L	14	30
ï	5	Receiver Type Code	X	.	31	31
	<u>6</u>	Receiver Identification	X(5)	L	32	36
	7	Receiver Sub-	T T(4)	*	2.7	40
	0	Identification	X(4)	L	37	40
	8	Filler (National Use)	X(6)	T	41	46
	9	Submitter Name	X(21)	L	47	67
		Submitter Address (Fields 10-13)				
	10	Address	X(18)	L	68	85
	11	City	X(15)	Ĭ.	86	100
	12	State	XX	L L L R L R	101	102
	13	ZIP Code	X(9)	Ī.	103	111
	14	Submitter FAX Number	9(10)	Ř	112	121
	15	Country Code	X(4)	Ĺ	122	125
	16	Submitter Telephone Number	9(10)	\overline{R}	126	135
	17	File Sequence & Serial)(10)		120	100
		Number	X(7)	L	136	142
	18	Test/Production Indicator	X(4)	L L	143	146
	19	Date of Receipt (CCYYMMDD)	9(8)	R	147	154
		(intermediary use only)	()			
	20	Processing Date (Date Bill	9(8)	R	155	162
		Submitted on HCFA 1450)	()			
		(CCYYMMDD)				
	21	Filler (Local Use)	X(27)		163	189
	*22	Version Code 060	X(3)	L	190	192

*VERSION 060

See footnote C-1 for benefit coordination.

A-6 Rev. 1813

06-98 BILL REVIEW ADDENDUM A (Cont.)

RECORD TYPE 10 - PROVIDER DATA

- o Must follow either RT 01 or 95.
- o Must be followed by RT 20 or RT 74. RT 20 is used when submitting billing record. RT 74 is used only when attachment information is being sent independent of the claim.

NOTE: This record must be present for each provider batch combination.

FIEL D	FIELD NAME	DICTUDE	FIELD	POSITIO	ON
FIELD NO.	FIELD NAME	PICTURE	SPECIFI- CATION	FROM	THRU
1	Record type '10'	XX	L	1	2
2 3 4	Type of Batch	XXX	L	3 6	2 5 7
3	Batch Number	99	R	6	7
4	Federal Tax Number or				
	EIN	9(10)	R	8	17
5	Federal Tax Sub ID	X(4)	L L L	18	21
6 7	National Provider Identifier	X(13)	L	22	34
7	Medicaid Provider Number	X(13)	L	35	47
8	CHAMPUS Insurer Provider				
	Number	X(13)	L	48	60
9	Other Insurer Provider				
	Number	X(13)	L	61	73
10	Other Insurer Provider				
	Number	X(13)	L	74	86
11	Provider Telephone				
	Number	9(10)	R	87	96
12	Provider Name	X(25)	L	97	121
	Provider Address				
	(Fields 13-16)				
13	Address	X(25)	L L L L R L	122	146
14	City	X(14)	L	147	160
15	State	XX	L	161	162
16	ZIP Code	X(9)	L	163	171
17	Provider FAX Number	9(10)	R	172	181
18	Country Code	X(4)'	L	182	185
19	Filler (National Use)	X(4)		186	189
20	Filler (State Use)	X(3)		190	192

See footnote C-2 for benefit coordination.

RECORD TYPES 20-2N - Patient Data

- o Must follow either RT 10, RT 90, or RT 91.
- o Must be followed by RT 21-2N or RT 30.
- o All records following up through RT 90 must have the same patient control number.

	FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITIO	ON
	NO.	FIELD NAME	FICTURE	CATION	FROM	THRU
	1	Record type '20'	XX	L	1	2
	2 3	Filler (National Use)	XX		3 5	4
	3	Patient Control Number Patient Name (Fields 4-6)	X(20)	L	5	24
	4	Last Name	X(20)	L L	25	44
	4 5 6 7 8 9	First Name	X(9) X	L	45	53
	6	Middle Initial	X		54	54
ı	0	Patient Sex	X	n	55	55
	8	Patient Birthdate (CCYYMMDD)	9(8) X	R	56	63
	10	Patient Marital Status Type of Admission	X		64 65	64 65
	11	Source of Admission	X		66	66
	12 13 14 15 16 17	Patient Address (Fields 12-16) Address - Line 1 Address - Line 2 City State ZIP Code Admission/Start of Care Date (CCYYMMDD)	X(18) X(12) X(15) XX X(9) 9(8)	L L L L R	67 85 97 112 114 123	84 96 111 113 122 130
	18	Admission Hour	XX	L	131	132
	19 20 21 22 23 24 25	Statement Covers Period From (CCYYMMDD) Thru (CCYYMMDD) Patient Status Discharge Hour Payments Received (Patient line) Estimated Amount Due(Patient line) Medical Record Number	9(8) 9(8) 99 XX 9(8)V99 9(8)V99 X(17)		133 141 149 151 153 163 173	140 148 150 152 162 172 189
	26	Filler (National Use)	X(3)		190	192

See footnote C-3 for benefit coordination.

A-8 Rev. 1747

RECORD TYPE 21 - NONINSURED EMPLOYMENT INFORMATION

- o Must follow RT 20.
- o Must be followed by RT 21-2N or RT 30.
- This record contains employment information pertaining to individuals not claiming insurance, but who may have some insurance coverage through their employer from which the patient may be eligible for benefits.
- There are four different individuals to whom this may apply: the patient, the patient's spouse, the patient's father, and the patient's mother. If more than two of these individuals are involved in this claim, use a second record type 21 to submit the relevant employment data for the third, and if applicable, the fourth party involved. The sequence number (field 2) of the second Type 21 record is shown as "02".

FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITION	ON
NO.	TIEED IVAIVIE	TICTORE	CATION	FROM	THRU
1 2 3	Record type '21' Sequence Number Patient Control Number	XX 99 X(20)	L R L	1 3 5	2 4 24
	EMPLOYMENT INFORMATION	PACKET ONE			
4	Employer Name	X(24)	L	25	48
5 6 7 8 9 9a 10	Employer Location (Fields 5 - 8) Employer Address Employer City Employer State Employer ZIP Code Employment Status Code Employer Qualifier (COB only) Filler (National Use)	X(18) X(15) XX X(9) 9 99 X(13)	L L L L	49 67 82 84 93 94	66 81 83 92 93 95 108
	EMPLOYMENT INFORMATION	PACKET TWO			
11	Employer Name	X(24)	L	109	132
12 13 14 15 16 16a 17	Employer Location (Fields 12 - 15) Employer Address Employer City Employer State Employer ZIP Code Employment Status Code Employer Qualifier (COB only) Filler (National Use)	X(18) X(15) XX X(9) 9 99 X(13)	L L L L	133 151 166 168 177 178 180	150 165 167 176 177 179 192

See footnote C-4 for benefit coordination usage.

RECORD TYPE 22 - UNASSIGNED STATE FORM LOCATORS

- o Not required by Medicare
- o Assignment and/or use of these form locators is the responsibility of individual State Uniform Billing Committees (SUBCs).
- o The state code in field 4 is used to identify the SUBC responsible for the definition of the form locators on this sequence of RT 22.
- o Must follow RT 20 or 21.
- o Must be followed by RT 30.

Sequence 01 represents the primary payer, sequence 02 represents the secondary payer, and sequence 03 represents the tertiary payer.

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITION FROM THRU
1	Record type '22'	XX	L 1	2
2	Sequence Number	99	R	3 4
3	Patient Control Number	X(20)	L	5 24
4	State Code	X(2)	L	25 26
5	Form Locator 2 (upper line)	X(29)	L	27 55
6	Form Locator 2 (lower line)	X(30)	L	56 85
7	Form Locator 11 (upper line)	X(12)	L	86 97
8	Form Locator 11 (lower line)	X(13)	L	98 110
9	Form Locator 56 (upper line)	X(13)	L	111 123
10	Form Locator 56 (2nd line)	X(14)	L	124 137
11	Form Locator 56 (3rd line)	X(14)	L	138 151
12	Form Locator 56 (4th line)	X(14)	L	152 165
13	Form Locator 56 (patient line)	X(14)	L	166 179
14	Form Locator 78 (upper line)	X(2)	L	180 181
15	Form Locator 78 (lower line)	X(3)	L	182 184
16	Filler (Local Use)	X(8)		185 192

See footnote C-5 for benefit coordination usage.

A-10 Rev. 1747

RECORD TYPES 30-3N - Third Party Payer

One third party payer record packet (record types 30-3N) must appear in the bill record for each payer involved in the bill. Each third party payer packet must contain a record type 30. However, each record type 30 may or may not have an associated record type 31 depending on the specific third party payer data required by the particular payer.

There is an optional RT 34 that contains detailed authorization information. If you require treatment or other authorization in advance of the beneficiary's receipt of services, issue an authorization number. If the authorization number is for a limited period of time, inform the provider of the applicable dates. If the authorization number applies to the entire claim, it is entered in RT 40 in the appropriate location for the payer issuing it. For further information regarding use of this record, see page A-15.

EXAMPLE: Medicare is primary, and the secondary payer requires the insured's address.

	Record Type Code	Sequence Number
Medicare	30	01
Secondary Payer	30	02
Secondary Payer	31	02
Authorization	34	02

Because the sequence number of the type 31 record for the secondary payer matches the sequence number of the secondary payer's type 30 record, it serves as a matching criterion for the specific third party payer record packet.

Sequence 01 represents the primary payer, sequence 02 represents the secondary payer, and sequence 03 represents the tertiary payer.

RECORD TYPE 30 - THIRD PARTY PAYER DATA

May be followed by RT 30, 31, 34 or 40.

	FIELD NO. THRU	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITION FROM
		D 1201	****		
	1 2 3 4 5-6 7	Record type '30' Sequence Number Patient Control Number	XX 99	L l	2 2
	$\frac{2}{3}$	Patient Central Number	X(20)	R L	3 4 5 24 25 25
	3 1	Source of Payment Code	X(20) X	L	25 25
ı	5-6	Payer Identification Number	X(9)	L	26 34
	7	Certificate/SocSecNumber/	$\Lambda(I)$	L	20 34
	,	Health Insurance Claim/			
		Identification Number	X(19)	L	35 53
	8a	Payer Identification Indicator	X(19) XX	L 54	55
	8b	Payer Name	X(23) X	L	56 78
1	9	Payer Code	X		79 79
	10	Insurance Group Number	X(17)	$egin{array}{c} L \ L \end{array}$	80 96
	11	Insured Group Name	X(14)	L	97 110
		Insured's Name (Fields 12-14)			
	12	Last Name	X(20)	Ţ	111 130
	13	First Name	X(9)	$egin{array}{c} L \ L \end{array}$	131 139
	14	Middle Initial	X(9) X X X	L	140 140
	15	Insured's Sex	X		141 141
	16	Release of Information			
		Certification Indicator	X		142 142
	17	Assignment of Benefits			
		Certification Indicator	X		143 143
	18	Patient's Relationship	0.0	ъ.	1 4 4 1 4 5
	10	to Insured	99	R	144 145
	19 20	Employment Status Code	9	D	146 146
	20	Covered Days	9(3)	R R	147 149 150 153
	21	Noncovered Days Coinsurance Days	9(4) 9(3)	R R	154 156
	23	Lifetime Reserve Days	9(3)	R	157 159
	22 23 24	Provider Identification)(<i>3)</i>	IX	13/13/
		Number X(13)		L	160 172
	25	Payments Received	9(8)V99S	R	173 182
	26	Estimated Amount Due	9(8)V99S	R	183 192

RECORD TYPE 31 - THIRD PARTY PAYER DATA

- o May follow RT 30 or 31.
- o May be followed by RT 31, 34, or 40.

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITION FROM THRU
1	Record type '31' Sequence Number	XX	L 1	2
2 3	Sequence Number	99	R	3 4 5 24
3	Patient Control Number	X(20)	L	5 24
	Insured's Address (Fields 4-8)	,		
4 5	Address - Line 1	X(18)	L	25 42
5	Address - Line 2	X(12)	L	43 54
5A	Filler	X(6)	L	55 60
6 7	City	X(15)	L	61 75
7	State	XX	L 76	77
8 9	ZIP Code X(9)	L	78	86
9	Employer Name	X(24)	L	87 110
	Employer Location (Fields 10 - 13)	, ,		
10	Employer Address	X(18)	L	111 128
11	Employer City	X(15)	L	129 143
12	Employer State	XX	L 144	145
13	Employer ZIP Code	X(9)	L	146 154
14	Form Locator 37 (ICN/DCN)	X(23)	L	155 177
15	Contract Number	X(5)	L	178 182
16	Filler (National Use)	X(10)		183 192

See footnote C-7 for benefit coordination.

RECORD TYPE 32 - THIRD PARTY PAYER DATA

- o May follow RT 30 or 31.
- o May be followed by RT 32, 34, or 40.

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITION FROM THRU
1	Record type '32'	XX	L 1	2 4
2	Sequence Number Patient Control Number	99	K	3 4
3		X(20)	Ĺ	5 24
4	Payer Name	X(25)	L	25 49
	Payer Address (Fields 5-9)			
5	Address	X(18)	L	50 67
6	Address	X(18)	L	68 85
7	City	X(15)	Ī	86 100
8	State	XX	L 101	102
9	Zip Code	X(9)	L	103 111
10	Filler (National Use)	X(81)	_	112 192

See footnote C-8 for benefit coordination.

RECORD TYPE 34 - Authorization

For routine use of a treatment authorization number that applies to the entire claim, use RT 40, Claim-TAN-Occurrence. For authorizations requiring dates, i.e., limited to a particular period of time, HCPCS or revenue code, use RT 34, Authorization. Use the same sequence numbers for RT 34 as are used for RT 30. The sequence 01 record must refer to the primary payer, Payer A. The sequence 02 must refer to the secondary payer, Payer B, and the 03 must refer to the tertiary payer, Payer C.

Use RT 34 when revenue code 624 is used in RT 60 or 61 to report investigational device exemption number (IDE). If multiple IDEs are in RT 60 or 61, the first is described in fields 4-9, the second in field 10, the third in field 11, and the fourth in field 12.

Should you need to show authorization for only the secondary payer, complete an RT 34 for sequence 02 only. Do not complete an RT 34 for Payer A, sequence 01.

Use the revenue code and/or HCPCS procedure code to match the appropriate line item.

- o May follow RT 30, 31, or 34.
- o May be followed by RT 34 or 40.

FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITIO	ON
NO.	TILLD WINE	TICTORE	CATION	FROM	THRU
1	Record type '34'	XX	L 1	2	2
Sequer	nce Number	99	R 3	4	
3	Patient Control Number	X(20)	L	5	24
	Authorization - 1	X(45)	L	25	69
4 5	Authorization Type	X(2)	L	4 5 25 25 27	26
5	Authorization Number	X(18)	L	27	44
	IDE number				
6	Authorization From Date	9(8)	R	45	52
_	(CCYYMMDD)	0 (0)	~		60
7	Authorization Thru Date	9(8)	R	53	60
0	(CCYYMMDD)	0 (4)	~	6.4	<i>c</i>
8	Authorization Revenue Code	9(4)	R	61	64
9	Authorization HCPCS		_		
	Procedure Code	X(5)	L	65	69
10	Authorization - 2	X(45)	L	70	114
	IDE number				
11	Authorization - 3	X(45)	L	11515	59
	IDE number	•			
12	Filler (National Use)	X(33)		160	192

See footnote C-9 for benefit coordination.

A-14 Rev. 1747

RECORD TYPE 40 - 4N - CLAIM DATA RECORD TYPE 40 - CLAIM DATA TAN-OCCURRENCE RECORD TYPE 41 - CLAIM DATA CONDITION-VALUE

Generally, a claim contains a single set of type 40 and type 41 records. Each claim must contain a RT 40. The set may or may not contain a RT 41, depending on the information being submitted. (If there are no condition or value codes to report for the particular claim, there is no need for a RT 41.) However, if one set is not sufficient to contain all iterations of a particular coding structure, e.g., more than 12 value codes are required, submit additional iterations of the appropriate record type, 40 or 41, to convey the additional codes.

For RTs 40 and 41, sequence numbers 02 or higher, all fields except the field or fields required to convey the additional code or codes that could not be contained on the sequence 01 record are initialized to zeroes or blanks as appropriate, with the exception of the Record Type, Sequence, and Patient Control Number fields.

It is conceivable that a claim may require as many as 3 sequences of Claim-TAN-Occurrence and only 1 of Condition-Value, or vice versa. This is acceptable.

RECORD TYPE 40 - CLAIM DATA TAN-OCCURRENCE

o May follow RT 30, 31, 34, or 40.

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITION FROM THRU
1	Record Type '40' Sequence Number Patient Control Number	XX	L 1	2
2	Sequence Number	99	R	3 4
2 3 4	Patient Control Number	X(20)	R L	3 4 5 24 25 27
4	Type of Bill	X(3)	L	25 27
_	TREATMENT AUTHORIZATION Repeats 3 times	CÔĎE		
5	Treatment Authorization	_		
	_ Code-A X(18)	L	28	45
6	Treatment Authorization	_		
_	_Code-B X(18)	L	46	63
7	Treatment Authorization	_		
	Code-C X(18)	L	64	81
	OCCURRENCE CODE and DATE			
0	Repeats 7 times	TT (A)		0.0
8	Occurrence Code - 1	X(2)	Ĺ	82 83
9	Occurrence Date - 1 (CCYYMMDD)	9(8)	R	84 91
10	Occurrence Code - 2	X(2)	L	92 93
11	Occurrence Date - 2	9(8)	\overline{R}	94 101
	(CCYYMMDD)	2 (0)		
12	Occurrence Code - 3	X(2)	L	102 103
13	Occurrence Date - 3	9(8)	$\overline{\overline{R}}$	104111
	(CCYYMMDD))(0)		10.111
14	Occurrence Code - 4	X(2)	L	112 113
15	Occurrence Date - 4 (CCYYMMDD)	9(8)	R	114121

RECORD TYPE 40 (Cont.) - CLAIM DATA TAN-OCCURRENCE

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITION FROM THRU
16	Occurrence Code - 5	X(2)	L	122 123
17	Occurrence Date - 5 (CCYYMMDD)	X(2) 9(8)	R	124 131
18	Occurrence Code - 6	X(2)	L R	132 133
19	Occurrence Date - 6 (CCYYMMDD)	9(8)	R	134 141
20	Occurrence Code - 7	X(2)	$\mathbf L$	142 143
21	Occurrence Date - 7	9(8)	R	144 151
22 23	OCCURRENCE SPAN CODE Repeats 2 times Occurrence Span Code - 1 Occurrence Span	and DATES X(2)	L	152 153
	FROM DATE - 1 (CCYYMMDD)	9(8)	R	154 161
24	Occurrence Span	0(0)	D	1.01.00
(CCYYM	THRU DAŤE - 1	9(8)	R	162 169
25	Occurrence Span Code - 2	X(2)	L	170 171
26	Occurrence Span	11(2)		170171
	FROM DATE - 2 (CCYYMMDD)	9(8)	R	172 179
27	Occurrence Span THRU DATE - 2	9(8)	R	180 187
28	Filler (National Use)	X(5)		188 192

NOTE: IF THE CODE IN THE OCCURRENCE CODE FIELD IS OVER 69, THE TWO DATE FIELDS FOLLOWING THAT CODE ARE ASSOCIATED WITH IT, AND THE FIELD FOLLOWING THE FIRST DATE IS ZERO. IF THE CODE INDICATED IN THE OCCURRENCE SPAN CODE FIELD IS LESS THAN 70, ONLY THE OCCURRENCE SPAN FROM DATE IS COMPLETED. THE CODE AND DATE IS INTERPRETED AS AN OCCURRENCE CODE.

SIMILARLY, IF THE CODE IN THE OCCURRENCE CODE FIELD IS M0-Z9, THE TWO DATE FIELDS FOLLOWING THAT CODE ARE ASSOCIATED WITH IT, AND THE FIELD FOLLOWING THE FIRST DATE IS ZERO. IF THE CODE INDICATED IN THE OCCURRENCE SPAN CODE FIELD IS A1-L9, ONLY THE OCCURRENCE SPAN FROM DATE IS COMPLETED. THE CODE AND DATE IS INTERPRETED AS AN OCCURRENCE CODE.

See footnote C-10 for benefit coordination.

A-16 Rev. 1738

RECORD TYPE 41 - CLAIM DATA CONDITION-VALUE

o May follow RT 40 or 41.

FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITION
NO.	I ILLD NAME	TICTORE	CATION	FROM THRU
1 2 3	Record Type '41' Sequence Number Patient Control Number CONDITION CODE	XX 99 X(20)	L R L	1 2 3 4 5 24
4 5 6 7 8 9	Repeats 10 times Condition Code - 1 Condition Code - 2 Condition Code - 3 Condition Code - 4 Condition Code - 5 Condition Code - 6	X(2) X(2) X(2) X(2) X(2) X(2)	L L L L L L	25 26 27 28 29 30 31 32 33 34 35 36
10 11 12 13 14 15	Condition Code - 7 Condition Code - 8 Condition Code - 9 Condition Code - 10 Form Locator 31 (upper) Form Locator 31 (lower) VALUE CODE	X(2) X(2) X(2) X(2) X(5) X(6)	L L L L L	37 38 39 40 41 42 43 44 45 49 50 55
16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39	Repeats 12 times Value Code - 1 Value Amount - 1 Value Code - 2 Value Amount - 2 Value Code - 3 Value Amount - 3 Value Code - 4 Value Code - 5 Value Amount - 5 Value Code - 6 Value Amount - 6 Value Code - 7 Value Code - 7 Value Amount - 7 Value Code - 8 Value Amount - 8 Value Code - 9 Value Amount - 9 Value Code - 10 Value Code - 10 Value Code - 11 Value Code - 12 Value Amount - 12	X(2) 9(7)V99S X(2) 9(7)V99S X(2) 9(7)V99S X(2) 9(7)V99S X(2) 9(7)V99S X(2) 9(7)V99S X(2) 9(7)V99S X(2) 9(7)V99S X(2) 9(7)V99S X(2) 9(7)V99S X(2) 9(7)V99S X(2) 9(7)V99S	L R L R L R L R L R L R L R L R L R L R	56 57 58 66 67 68 69 77 78 79 80 88 89 90 91 99 100 101 102 110 111 112 113 121 122 123 124 132 133 134 135 143 144 145 146 154 155 156 157 165 166 167 168 176 177 178 179 187

See footnote C-11 for benefit coordination.

RECORD TYPE 50 - IP ACCOMMODATIONS DATA

- o May be preceded by RT 40 4n or 50 5n.
- o May be followed by RT 50 5n, 51, 52, 60, or 70.
- o Accommodations must be entered in numeric sequence.
- o The sequence number for record type 50 can go from 001 to 999, each such physical record containing four accommodations, thus making provision for reporting up to 3996 accommodations on a single claim.

ACCOMMODATION REVENUE CODES: 100 THRU 21X

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITIC FROM T	
1 2	Record type '50' Sequence Number	XX 9(3)	L R	1 3	2 5
3	Sequence Number Patient Control Number	X(20)	L	6	25
4	Filler (National Use) Accommodations (occurs 4 times)	X(3)		26	28
	Accommodations - 1	X(41)		29	69
5	Accommodations Revenue Code	9(4)	R	29	32
6	Accommodations Rate	9(7)V99	R	33	41
7	Accommodations Days	9(4)	R	42	45
8	Accommodations Total Charges	9(8)V99S	R	46	55
9	Accommodations Noncovered	()			
	Charges	9(8)V99S	R	56	65
10	Form Locator 49	X(4)	L	66	69
11	Accommodations - 2	X(41)		70	110
12	Accommodations - 3	X(41)		111	151
13	Accommodations - 4	X(41)		152	192

See footnote C-12 for benefit coordination.

A-18 Rev. 1800 11-00 BILL REVIEW ADDENDUM A (Cont.)

RECORD TYPE 60 - IP Ancillary Services Data

- o May be preceded by RT 40, 41, 50 5n, 60, or 63.
- o May be followed by RT 60, 62, 63, or 70.
- The sequence number for record type 60 can go from 001 to 999 with each such physical record containing three inpatient ancillary service codes, thus making provision for reporting up to 2997 services although only 450 items will be accepted on a single claim.
- o Write all sequences of RT 60.

PAYER AND RELATED INFORMATION REVENUE CODES: CODES 0010 - 0099.

THESE CODES MAY BE REPORTED IN RT 60, BUT THE AMOUNTS ASSOCIATED WITH THEM ARE NOT TO BE INCLUDED IN CONTROL TOTALS FOR ANCILLARIES IN RTS 90 AND 91.

INPATIENT ANCILLARY SERVICES REVENUE CODES: CODES 0220 - 099X.

INPATIENT ANCILLARY CODES MUST BE IN CODE NUMBER SEQUENCE.

DIDI D	EVEL DAVANCE	DICTUDE	FIELD	POSITION	
FIELD NO.	FIELD NAME	PICTURE	SPECIFI- CATION	FROM	THRU
1	Record type '60'	XX	L	1	2
2	Record type '60' Sequence Number	9(3)	R	3 6	2 5
2 3 4	Patient Control Number	X(20)	L	6	25
4	Filler (National Use)	X(2)		26	27
	Inpatient Ancillaries (occurs 3 times)				
	Inpatient Ancillaries - 1	X(55)		28	82
5	Inpatient Ancillary		_		
	Revenue Code	9(4)	R	28	31
	If Revenue Code is 624, then also use RT 34.				
	When Revenue Code is 002X then				
	field 6 contains a HIPPS Rate Code				
6	HCPCS Procedure Code/HIPPS	X(5)	L	32	36
7	Modifier 1 (HCPCS & CPT-4)	X(2)	L	37	38
8	Modifier 2 (HCPCS & CPT-4) Inpatient Ancillary	X(2)	L	39	40
9	Inpatient Ancillary	、 /			
	Units of Service	9(7)	R	41	47
10	Inpatient Ancillary Total				
	Charges 9(8)V99S		R	48	57
11	Inpatient Ancillary				
	Noncovered Charges	9(8)V99S	R	58	67
12	Form Locator 49	X(4)	L L	68	71
* 13	Assessment Date (CCYYMMDD)	9(8)	L	72	79
14	Filler (National Use)	X(3)		80	82
15	Inpatient Ancillaries - 2	X(55)		83	137
16	Inpatient Ancillaries - 3	X(55)		138	192

^{*} Field 13 must only be completed when Revenue Code 002X is used, otherwise leave blank. See footnote C-13 for benefit coordination.

Rev. 1813

A-19

RECORD TYPE 61 - OUTPATIENT PROCEDURES

- o May be preceded by RT 40, 41, 61, or 63.
- o May be followed by RT 61 6n, 62, 63, 70, or 80.
- The sequence number for record type 61 can go from 001 to 999, each such physical record containing three procedure codes, thus making provision for reporting up to 2997 services although only 450 items will be accepted on a single claim.

PAYER AND RELATED INFORMATION REVENUE CODES: CODES 0010 -0099.

THESE CODES MAY BE REPORTED IN RT 61, BUT THE AMOUNTS ASSOCIATED WITH THEM ARE NOT TO BE INCLUDED IN CONTROL TOTALS FOR ANCILLARIES IN RTS 90 AND 91.

OUTPATIENT ANCILLARY CODES MUST BE IN CODE NUMBER SEQUENCE.

FIELD	EIELD MAME	DICTUDE	FIELD	POSITIO	ON
FIELD NO.	FIELD NAME	PICTURE	SPECIFI- CATION	FROM	THRU
1	Record type '61' Sequence Number	XX	L	1	2 5 25
2 3 4	Sequence Number	9(3)	R	3 6	5
3	Patient Control Number	X(20)	L	6	25
4	Filler (National Use)	XX		26	27
	Revenue Center (occurs 3 times)				
	Revenue Code - 1	X(55)		28	82
5	Revenue Code	9(4)	R	28	31
	If Revenue Code is 624, then also use RT 34. When Revenue Code is 002X then field 6 contains a HIPPS Rate Code	le			
6	HCPCS Procedure Code/HIPPS	X(5)	L	32	36
7	Modifier 1 (HCPCS & CPT-4)	X(2)	L	37	38
8 9	Modifier 2 (HCPCS & CPT-4)	X(2)	L	39	40
9	Units of Service	9(7)	R	41	47
10	Form Locator 49	X(6)	L	48	53
11	Outpatient Total Charges	9(8)V99S	R	54	63
12	Outpatient Noncovered Charges	9(8)V99S	R	64	73
13	Date of Service (CCYYMMDD)	9(8)	R	74	81
14	Filler (National Use)	X		82	82
* 15	Revenue Code - 2	X(55)		83	137
* 16	Revenue Code - 3	X(55)		138	192

^{*} Revenue Codes 2 and 3 have the same format as fields 5-14 in Revenue Center 1.

See footnote C-14 for benefit coordination.

A-20 Rev. 1813

RECORD TYPE 70 - 7N - MEDICAL DATA

- o May be preceded by RT 50, 60, or 61.
- o May be followed by RT 7N, 80, or 90.

The sequence number for RT 70 can be 01 or 02. The 01 record is for the reporting of nine diagnoses and six procedures leaving filler (positions 170-192) for local use. Use an 02 record when reporting Form Locator 57 data.

NOTE: ICD-9-CM coding is required for all bill types. Do not report the decimal in the code. The ICD-9-CM diagnosis codes are assigned a cobol picture of X. Format the actual code in one of four general ways.

If you report 99999, it translates to 999.99. If you report V9999, it translates to V99.99. If you report E9999, it translates to E999.9. If you report M99999, it translates to M9999/9.

To determine the location of the decimal position and the potential number of decimal positions, it is necessary only to examine the high order (left most) position of the field.

RECORD TYPE 70 - MEDICAL DATA (SEQUENCE 1 & 2)

	FIELD	FIELD NAME					POSITION	
	NO.	FIELD NAME	FICTURE	CATION		FROM	THRU	
		SEQUENCE 1						
	1	Record Type '70'	XX	L	1	2		
	1 2 3 4 5 6 7 8	Sequence	99	R		3	4	
ı	3	Patient Control Number	X(20)	L		5	24	
	4	Principal Diagnosis Code	X(6)	L		25	30	
	5	Other Diagnosis Code - 1	X(6)	L		31	36	
	6	Other Diagnosis Code - 2	X(6)	L		37	42	
	7	Other Diagnosis Code - 3	X(6)	L		43	48	
	8	Other Diagnosis Code - 4	X(6)	L		49	54	
	9	Other Diagnosis Code - 5	X(6)	L L L		55	60	
	10	Other Diagnosis Code - 6	X(6)	L		61	66	
	11	Other Diagnosis Code - 7	X(6)	Ĺ		67	72	
	12	Other Diagnosis Code - 8	X(6)	$\overline{ar{ ext{L}}}$		73	78	
	13	Principal Procedure Code	X(7)	L		79	85	
	14	Principal Procedure Date (CCYYMMDD)	9(8)	R		86	93	
	15	Other Proceduré Code - 1	X(7)	L		94	100	
	16	Other Procedure Date - 1	9(8)	R		101	108	
		(CCYYMMDD)						
	17	Other Proceduré Code - 2	X(7)	L		109	115	
	18	Other Procedure Date - 2	9(8)	R		116	123	
		(CCYYMMDD)						
	19	Other Procedure Code - 3	X(7)	L		124	130	
	20	Other Procedure Date - 3	9(8)	R		131	138	
		(CCYYMMDD)						
	21	Other Procedure Code - 4	X(7)	L		139	145	
	22	Other Procedure Date - 4	9(8)	R		146	153	
		(CCYYMMDD)	, ,					
	23	Other Procedure Code - 5	X(7)	L		154	160	
	24	Other Procedure Date - 5	9(8)	R		161	168	
		(CCYYMMDD)						
	25	Admitting Diagnosis Code	X(6)	L		169	174	
	26	External Cause of Injury						
		(E-Code)	X(6)	L		175	180	
	27	Procedure Coding						
		Method Used	9			181	181	
	28	Filler (National Use)	X(11)			182	192	

See footnote C-15 for benefit coordination.

A-22 Rev. 1747

FIELD NO.		FIELD NAME	PICTURE	FIELD SPECIFI-	POSITION		
			FICTURE	CATION	FROM	THRU	
	SEQUE	NCE 2					
	0	Must follow RT 70, sequ	ience 01.				
o May be followed by RT 71-73, 75, 76, 77, or 80							
1 2	Record Sequence	Type >70' ce 99	XX	L R	1 2 3 4	3 Patient	
Control N Locator 5	$57 \mathrm{X}(27)$	X(20)	$^{ m L}_{ m L}$	25 5	24 51	4Form	
5	Filler (N	Vational Use)	X(141)		52 192		

RECORD TYPES 71-74 - HOME HEALTH DATA ELEMENTS FOR MEDICAL REVIEW OF **HOME HEALTH CLAIMS**

- May be preceded by RT 10, 70, or 71.
- May be followed by RT 7N, 80, or 90. 0
- If being sent RT 74 must be independent of claim.

RECORD TYPE 71 - Plan Of Treatment and Patient Information

RECORD TYPE 72 - Specific Services and Treatments
RECORD TYPE 73 - Plan Of Treatment/Medical Update Narrative
RECORD TYPE 74 - Patient Information

For use by HHAs to submit data from Forms HCFA-485 and HCFA-486. Data is required when requested by the RHHI. RTs 71, 72, and 73 must be present. However, when submitting data from the HCFA-486 only (i.e., on interim claims), providers complete only the following fields on RT 71: Fields 1-6, 24-26, and 28-31. Zeroes are present in numeric fields and blanks in alphanumeric fields which do not contain data.

Data for the electronic Forms HCFA-485 and HCFA-486 (i.e., RT 71-73) submitted separately from claim data must be in a batch containing RT 10. RT 10, field 2 (Type of Batch) must contain "3M" blank" to identify that the batch contains only attachment data. An RT 74 must be submitted for each unique patient in a 3M batch. The RT 74 replaces the RT 20 for patient data in a 3M batch.

Providers must retain signed copies of the HCFA-485 and HCFA-486 in their files. The Provider Representative Certification must be submitted with the initial batch of claims containing the HCFA-485 and HCFA-486 data elements. Subsequent certifications are to be submitted in accordance with the Hospital Manual, '499.1.

See footnote C-15 for benefit coordination.

Rev. 1747 A-23

RECORD TYPE 71 - PLAN OF TREATMENT AND PATIENT INFORMATION

o May follow RT 70, 71, or 74.

FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITION		
NO.	TIEBS IVINIE	TICTORE	CATION	FROM	THRU	
1	Record Type '71'	XX	L 1	2		
	Sequence Number	99	R	3	4	
* 3	Patient Control Number	X(20)	Ĺ	3 5	24	
* 4	Data ID	X	_	25	25	
* 3 * 4 * 5	SOC Date (CCYYMMDD)	9(8)	R	$\frac{1}{26}$	33	
	Certification Period		_			
* 6	From (CCYYMMDD)	9(8)	R	34	41	
* 7	To (CCYYMMDD)	9(8)	R	42	49	
* 8	Date of Onset or Exacerbation	0 (0)	~			
	of Principal Diagnosis	9(8)	R	50	57	
* 9	(CCYYMMDD)	$\mathbf{V}(7)$	L	58	64	
* 10	Surgical Procedure Code Date Surgical Procedure	X(7)	L	38	04	
10	Performed (CCYYMMDD)	9(8)	R	65	72	
	Dates of Onset/Exacerbation)(0)	IC	03	12	
	of Secondary Diagnoses					
	(occurs 2 times)					
* 11	Date Secondary Diagnosis-1	9(8)	R	73	80	
* 12	Date Secondary Diagnosis-2	9(8)	R	81	88	
* 13	Functional Limitation Code	X(10)	Ĺ	89	98	
	(occurs 10 times)	()	_			
* 14	Activities Permitted Code					
	(occurs 10 times)	X(10)	L	99	108	
* 15	Mental Status Code	,				
	(occurs 5 times)	X(5)	L	1091	13	
* 16	PrognosisX		114	114		
* 17	Verbal SOC Date (CCYYMMDD)	9(8)	R	115 1		
18	Attending Physician's Last Name	X(16)	L	123 1		
19	Attending Physician's First Name	X(8) X	L	1391		
20	Attending Physician's Initial	X	_	1471		
21	Attending Physician's ZIP Code	X(9)	L	148 1	56	
22	Medicare Covered	X	_	1571		
* 23	Date Physician Last	9(8)	R	1581	65	
* 24	Saw Patient (CCYYMMDD)	0(0)	D	1661	72	
* 24	Date Last Contacted	9(8)	R	1661	13	
25	Physician (CCYYMMDD) Patient Receiving Care in					
25	1861(i)(1) Facility	X		1741	74	
26	1861(j)(1) Facility Cert/Recert/Mod	X		1741		
* 27	Admission (CCYYMMDD)	9(8)	R	1761		
* 28	Discharge (CCYYMMDD)	9(8)	R R	1841		
* 29	Type of Facility	9(8) X	IX	1921		
4)	Type of Lacinty	11		1/41	14	

^{*} This denotes the data elements that are required for the abbreviated format for the HCFA-485/486. See footnote C-16 for benefit coordination.

A-24 Rev. 1747
06-98 BILL REVIEW ADDENDUM A (Cont.)

RECORD TYPE 72 - SPECIFIC SERVICES AND TREATMENTS

- o May follow RT 71 or 72.
- o May be followed by RT 72, 73, 74, 75, 76, 77, 80, or 90.

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITION FROM THRU
* 2 * 3 * 4 * 5	Record Type '72' Sequence Number Patient Control Number Discipline Visits (This Bill) Related to Prior Certification Frequency and Duration	XX 99 X(20) XX 99	L 1 R L L 25 R	3 4 5 24 26 28
* 6 * 7 * 8	(Occurs 12 Times) Frequency and Duration - 1 Frequency Number - 1 Frequency Period - 1 Duration - 1 Frequency and Duration - 2 Frequency and Duration - 3	X(6) 9 XX X(3) X(6) X(6)	L 30 L	29 34 29 29 31 32 34 35 40 41 46
* 9 * 10 * 11 * 12 * 13 * 14 * 15 * 16 * 17	Frequency and Duration - 4 Frequency and Duration - 5 Frequency and Duration - 6 Frequency and Duration - 7 Frequency and Duration - 8 Frequency and Duration - 9 Frequency and Duration - 10 Frequency and Duration - 11 Frequency and Duration - 12	X(6) X(6) X(6) X(6) X(6) X(6) X(6) X(6)		47 52 53 58 59 64 65 70 71 76 77 82 83 88 89 94 95 100
* 18 * 19 * 20 * 21 * 22 * 23 * 24 * 25 * 26 * 27 * 28 * 29 * 30 * 31 * 32 * 33 * 34 * 35	Treatment Codes (Occurs 25 Times) Code - 1 Code - 2 Code - 3 Code - 4 Code - 5 Code - 6 Code - 7 Code - 8 Code - 9 Code - 10 Code - 11 Code - 12 Code - 13 Code - 14 Code - 15 Code - 16 Code - 17 Code - 18	X(75) X(3) X(3)	L L L L L L L L L L L L	101 175 101 103 104 106 107 109 110 112 113 115 116 118 119 121 122 124 125 127 128 130 131 133 134 136 137 139 140 142 143 145 146 148 149 151 152 154

 $^{^{*}}$ This denotes the data elements that are required for the abbreviated format for the HCFA-485 and HCFA-486.

RECORD TYPE 72 (Cont.) - SPECIFIC SERVICES AND TREATMENTS

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITION FROM THRU
* 36 * 37 * 38 * 39 * 40 * 41 * 42 * 43	Code -19 Code -20 Code -21 Code -22 Code -23 Code -24 Code -25 Total Visits Pro-	X(3) X(3) X(3) X(3) X(3) X(3) X(3)	L L L L L L	155 157 158 160 161 163 164 166 167 169 170 172 173 175
44 45	jected This Cert. Filler (National Use) Filler (Local Use)	99 X(7) X(8)	R	176 177 178 184 185 192

^{*} This denotes the data elements that are required for the abbreviated format for the HCFA-485 and HCFA-486.

See footnote C-17 for benefit coordination.

A-26 Rev. 1747

RECORD TYPE 73 - PLAN OF TREATMENT/MEDICAL UPDATE NARRATIVE

This record(s) contains narrative information from the forms "Home Health Certification and Plan of Treatment" and "Medical Update and Patient Information." This record is used to provide information requested on the HCFA-485 and HCFA-486 and to elaborate on any item on the forms. The HHA should not provide narrative instead of completing fields on RTs 71 and 72. Complete a separate RT 73 for each item. As many 73 records as necessary are used. A sequence number is increased by one for each record present (i.e., 01-99). Listed below are items which may require a narrative record. An "R" is reflected for data which is always required.

Data Element	Data ID Number	Required Element
Medications DME and Supplies	48510 48514 or supplies are billed.	R Not required if no DME
Safety Measures	48515	If present.
Nutritional Requirements	48516	R
Allergies	48517	If present.
Orders for Discipline and Treatments	48521	R
Goals/Rehabilitation	48522	R
Potential/Discharge Plans		_
Updated Information	48616	R
Functional Limitations	48617	R
Reason Homebound		
Supplementary Plan of Treatment	48618	If applicable.
Unusual Home/Social	48619	If applicable.
Environment	19620	If affirmative.
Times and Reasons Patient Not at Home	48620	ii aiiiiiiative.
Medical/Nonmedical	48621	R
Reasons Patient Leaves Home	70021	IX

- o May follow RT 72 or 73.
- o May be followed by RT 73, 74, 75, 76, 77, 80, or 90.

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITION FROM THRU	
1 2 3 4 5 6	Record Type '73' Sequence Number Patient Control Number Filler (National Use) Data ID Number Corresponding Data	XX 99 X(20) XX X(5) X(161)	L 1 R L L 25 L L	3 4 5 24 26 27 31 32 192	

See footnote C-18 for benefit coordination.

RECORD TYPE 74 - PATIENT INFORMATION

This record is only used to give patient information when a provider submits attachment data (i.e., plans of treatment) independent of claim data. Each new RT 74 indicates a new and unique claim.

Attachment records (7X series) submitted separately must be in a batch submission containing RT 10 (Provider Batch Header Record) and RT 95 (Provider Batch Control). On RT 10, field 2 and RT 95, field 5 submitters enter Type of Batch "3M blank" to identify that the batch contains only attachment data.

RT 74 is not required when Record Types 20, 30, 60, 61, and 70 are submitted. RT 74 must be in a file transmission with Record Types 01, 10, 90, 95, and 99.

If submitting home health agency data, RT 74 must be preceded by Record Types 71, 72, and 73. If submitting ambulance, end stage renal disease facility, or rehabilitative services, Record Types 75, 76, or 77, respectively, must follow RT 74.

Providers must notify you and conduct testing, as appropriate, prior to submitting data separate from the claim.

FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITION
NO.	FIELD NAME	TICTORE	CATION	FROM THRU
1 2	Record Type '74' Filler (National Use)	XX XX	L 1 3	2 4
2 3 4 5 6	Patient Control Number	X(20)	Ľ	5 24
4	Attachment Submission Status	XX	L 25	26
5	HICN	X(19)	L L	27 45
6	Medical Record Number	X(17)	L	46 62
	Patient Name			
7	Last Name	X(20)	$_{ m L}^{ m L}$	63 82
7 8 9	First Name	X(9) X	L	83 91
9	Middle Initial	X		92 92
10	Patient Birthdate (CCYYMMDD)	9(8) X	R	93 100
11	Patient Sex	X	-	101 101
12	Principal Diagnosis Code	X(6)	L L L L L R	102 107
13	Other Diagnosis Code-1	X(6)	L	108 113
14	Other Diagnosis Code-2 Other Diagnosis Code-3	X(6)	L	114119
15	Other Diagnosis Code-3	X(6)	L	120 125
16	Other Diagnosis Code-4	X(6)	L	126 131
17	Start of Care/Admission Date (CCYYMMDD)	9(8)	K	132 139
	Statement Covers Period			
18	From Date (CCYYMMDD)	9(8)	R	140 147
19	Through Date (CCYYMMDD)	9(8)	R	148 155
20	Provider No.	X(13)	L	156 168
21	Internal Control/Document Control		T	160 101
22	Number (ICN/DCN)	X(23)	L	169 191
22	Filler (National Use)	X		192 192

See footnote C-19 for benefit coordination.

A-28 Rev. 1747

06-98 BILL REVIEW ADDENDUM A (Cont.)

RECORD TYPE 75 - MEDICAL DOCUMENTATION FOR AMBULANCE CLAIMS

- o May be preceded by RT 40, 41, 50, 60, 70, 74, or 75.
- o If not preceded by RT 40, 41, 50, 60, or 70, must be preceded by RT 74 or 75.
- o May be followed by RT 75, sequence 2, 76, 77, 80, or 90.

Record Type 75 is used by providers to submit medical documentation for ambulance claims. They may submit information with or without the billing record. When submitted without billing records, RT 74 is used to give patient information.

A single record to provide documentation for the following ambulance services reported on the billing record:

- o A single trip;
- o A round trip origin to destination and return; and
- o Multiple trips if the origin and destination points are the same, or initial and return trips are the same.

Separate record for each ambulance trip(s) reported on the bill does not meet the above criteria.

FIELD NO.	FIELD NAME	PICTURE	SP	IELD ECIFI- TION	POSITIO FROM	
1 2 3	Record Type '75' Sequence Number Patient Control Number Reasons for Ambulance Transportation (occurs	XX 99 X(20)	L	1 R L	3 5	4 24
4 5 6 7	3 times) Reason 1 X(3) Reason 2 X(3) Reason 3 X(3) Number of Trips Pickup - Destination Code (occurs 2 times)	XX	L	L L L 34	25 28 31 35	27 30 33
8 9 10 11 12	Code -1 X(3) Code -2 X(3) Base Charge Number of Miles Cost Per Mile	9(5)V99S 9(4) 9(4)V99S		L L R R R	36 39 42 49 53	38 41 48 52 58
13 14 15 16	Ancillary Charges Medical Surgical Supplies IV Solutions Oxygen/Oxygen Supplies Injectable Drugs	9(4)V99S 9(4)V99S 9(4)V99S 9(4)V99S		R R R	59 65 71 77	64 70 76 82

MAGNETIC TAPE FILE AND RECORD SPECIFICATIONS FOR PROVIDERS

Record Name	Record Type	Record Size
Medical Documentation	75	192

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITION FROM THRU
17 18 19 20	Pickup Address Place City State Zip Code	X(18) X(15) XX X(9)	L L L 116 L	83 100 101115 117 118126
21 22 23 24 25 26	Destination Address Name Place City State Zip Code Filler	X(20) X(18) X(15) XX X(9) X(2)	L L L L 180 L	127 146 147 164 165 179 181 182 190 191 192

RT 75, Sequence 2

	ELD <mark>O</mark> .	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITIO FROM	THRU
		Record Type 75	XX	L 1	2	
	2	Sequence Number	99	R	3	4
' 3	3	Patient Control Number	X(20)	L	5	24
4	4	Reason for Transfer	X(3)	L	25	27
4	5	Reason for Bypass	X(3)	L	28	30
		Nearest Facility	()			
6	5	Air Ambulance	X(3)	L	31	33
		Justification	()			
7	7	Ancillary Charge Other	9(4)V99S	R	34	39
8	3	Remarks	X(153)	L	40	192

See footnote C-20 for benefit coordination.

A-28.2 Rev. 1747

RECORD TYPE 76, FORMAT L - ESRD MEDICAL DOCUMENTATION

- o May be preceded by RT 40, 41, 50, 60, or 70.
- o If not preceded by RT 40, 41, 50, 60, or 70, must be preceded by RT 74.
- o May be preceded by RT 72, 73, or 75.
- o May be followed by RT 76-M, 77, 80, or 90.

Record Type 76 is used by providers to submit medical documentation for ESRD facility claims. They may submit the information with or independent of claim data. If submitted independent of claim data, use RT 74 to give patient information.

If providers must provide information on more than 4 lab tests, they may repeat RT 76, format L until number of occurrences is met. All information on RT 76, format L should be completed before creating sequences of RT 76, format M. All filler is for national use. Lab values have an implied decimal point after the fifth left position. For example, the largest field size is 99999.99

Excepting fields 1 through 4 on RT 76, formats L and M, all field requirements are at payer discretion. For Medicare, the requirement of submission for any individual field, except fields 1 through 4, is at intermediary discretion to meet medical review needs.

Additional narrative remarks needed to clarify information on RT 76 should be placed in RT 90 or RT 91, as appropriate.

FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITIO	ON
NO.	FIELD NAME	FICTORE	CATION	FROM	THRU
1	Record Type '76'	XX	L 1	2	
2	Sequence No.	99	R	3 5 25	4
2 3 4	Patient Control No.	X(20) X	L	5	24
4	Record Format Type - L	X		25	25
	Non-routine and				
	Separately Billable				
	Laboratory Tests				
	(occurs 1 to 4 times)				
5	HCPCS Code	X(5)	L	26	30
6 7 8 9	Modifier 1	X(2)	L	31	32
7	Modifier 2	X(2)	L R R	33	34
8	Previous Lab Value	9(7)	R	35	41
9	Date Previous Lab	9(8)	R	42	49
	(CCYYMMDD)				
10	Current Lab Value	9(7)	R	50	56
11	Date Current Lab	9(7) 9(8)	R	57	64
	(CCYYMMDD)				
12	Lab Tests-Occurrence 2	X(39)	L	65	103
13	Lab Tests-Occurrence 3	X(39)	L	104	142
14	Lab Tests-Occurrence 4	X(39)	L	143 13	
15	Filler (National Use)	X(11)		182 19	92

RECORD TYPE 76, FORMAT M - ESRD MEDICAL DOCUMENTATION

- o May be preceded by RT 40, 41, 50, 60, or 70.
- o If not preceded by RT 40, 41, 50, 60, or 70, must be preceded by RT 74.
- o May be preceded by RT 72, 73, 75, or 76 format L.
- o May be followed by RT 77, 80, or 90.

If providers must provide information on additional medications, dialysis sessions, or other services than accommodated in this record layout, they may repeat RT 76, format M until number of occurrences is met. For an example of sequencing, see '3908.7.

	EIEL D	FIFI D NAME	DICTUDE	FIELD	POSITION
	FIELD NO.	FIELD NAME	PICTURE	SPECIFI- CATION	FROM THRU
	1	Record Type '76'	XX	L 1	2
	2 3 4	Sequence No.	99	R L	3 4 5 24 25 25
	3	Patient Control Number	X(20) X	L	5 24 25 25
	4	Record Format Type-M	X		25 25
		Medication			
		Administration (occurs			
	5	1 to 3 times)	V(11)	T	26 26
	5	National Drug Code	X(11)	L R	26 36 37 40
ı	7	Drug Units Place of Administration	9(4)	K	41 41
	5 6 7 8 9	Route of Administration	9		42 42
ı	9	Frequency and Duration	X(6)	I.	43 48
	10	Frequency and Duration Medication-Occurrence 2	X(23)	L L	43 48 49 71
	11	Medication-Occurrence 3	X(23)		72 94
1		Extra Dialysis Sessions	,		
		(occurs 1 to 3 times)			
	12	Date of Extra Session	9(8)	R	95 102
		(CCYYMMDD)			
	13	Justification for Extra Session	9	-	103 103
	14	Extra Dialysis-Occurrence 2	X(9) X(9)	L L	104 112
	15	Extra Dialysis-Occurrence 3	X(9)	L	113 121
		Other Services (occurs			
	16	1 to 3 times) HCPCS/CPT Code	X(5)	L	122 126
	17	Date Previous Test/Service	$\Lambda(J)$	L	122 120
	1 /	(CCYYMMDD)	9(8)	R	127 134 18
	Date	Current Test/Service)(0)	10	12, 13.
		(CCYYMMDD)	9(8)	R	135 142
	19	Other Services-Occurrence 2	X(21)	L L R	143 163
	20	Other Services-Occurrence 3	X(21)	L	164 184
	21	Weight in Kg	9(3)	R	185 187
	22	Filler (National Use)	X(5)		188 192

See footnote C-21 for benefit coordination.

A-28.4 Rev. 1747

ADMINISTRATIVE DATA RECORD RECORD TYPE 77, Format A

This record series (RT 77) supports information regarding a plan of treatment for outpatient rehabilitative services. It correlates to paper Forms HCFA-700 and 701. It may be sent with billing records or upon request by a payer or its intermediary. RT 77 was designed for use by the Medicare program. It may be used by other payers desiring the same rehabilitative services information. All sequences and fields of RT 77 are reserved for national use.

Format A describes the provider of service and the attending physician. It may be repeated for multiple disciplines.

- o May follow RT 77, format N (Rehabilitative Services Narrative Text) if multiple disciplines are being reported.
 - o Must be followed by RT 77, format R (Rehabilitative Services).

If submitted with claim:

o Must be preceded by Record Types 20, 30, 40, 61, 70. RT 41 may precede RT 77 series. Record Types 80 and 90 must follow the RT 77 series. Record Types 01, 10, 95, and 99 must be included in the file submission.

If being submitted independent of claim:

o Must be preceded by RT 74 and followed by RT 90. Record Types 01, 10, 95, and 99 must be included in the file submission. RT 74 is required and indicates a new and unique claim.

Multiple rehabilitative disciplines can relate to one claim (identified by RT 20 or the ICN/DCN on RT 74), but new formats A and R must be created for each discipline. For example, if you request information about PT and OT services, two pairs of formats A and R must be included in the transaction. All records, including narrative formats, relating to a specific rehabilitative discipline (e.g., PT), should be created and grouped sequentially before preceding to a new rehabilitative discipline (e.g., OT).

There is only one format A and one format R record for each discipline. They must occur in that order. Narrative records (format N) follow format R. When a second or subsequent discipline is necessary, the second or subsequent format A is submitted in sequence, followed by format R and, as necessary, format N records.

For an example of the sequencing, see §3908.2.C.

ADMINISTRATIVE DATA RECORD RECORD TYPE 77, FORMAT A (Cont.)

	FIELD	FIELD NAME	PICTURE		ELD ECIFI-	POSITIO	N
	NO.		1101010		TION	FROM 1	THRU
	1	Record Type '77'	XX	R	1	2	
	2 3 4 5	Sequence number	99		R	3 5 25	4
	3	Patient Control Number (PCN)	X(20)		L	5	24
	4	Record Format - A	\mathbf{X}^{-}			25	25
١.	5	Discipline	XX	L	26	27	
		Physician Information (Fields 6-9)					
	6	Attending Physician Identifier	X(16)		L	28	43
	7	Physician Referral Date	9(8)		R	44	51
		(CCYYMMDD)					
	8	Physician Signature Date			_		
		on Plan of Treatment	9(8)		R	52	59
		(CCYYMMDD)					
		Rehabilitation Professional Information	on (Fields 9-1	14)			
	9	Rehabilitation Professional			_		
		Identifier	X(16)		L	60	75
	10	Rehabilitation Professional	/		_		
		Name (Last)	X(20)		L	76	95
	11	Rehabilitation Professional	TT (0)		_	0.6	404
	1.0	Name (First)	X(9)		L	96	104
ı	12	Rehabilitation Professional	37			10510	_
	1.2	Name (MI)	X			105 10	5
	13	Professional Designation of	37(7)		т	10611	^
	1.4	Rehabilitation Professional	X(7)		L	10611	2
	14	Rehabilitation Professional					
		Signature Date on Plan of	0(8)		D	11212	Λ
		Treatment (CCYYMMDD)	9(8)	14. 15	R	113 12	U
	15	Prior Hospitalization Dates (From - T		ius 13-		121 12	0
		From Date (CCYYMMDD)	9(8) 9(8)		Ř R	121 12	
	16 17	Through Date (CCYYMMDD) Date of Onset/Exacerbation	9(8)		K	129 13	O
	1 /	of Dringing Diagnosis (CCVV) (MD)	D) 0(8)		R	137 14	1
	18	of Principal Diagnosis (CCYYMMDI Admission Date/Start Care	O) 9(8)		K	13/14	4
	10	Date (CCYYMMDD)	9(8)		R	145 15	2
	19	Total Visits From Start of Care	9(4)		R	153 15	
	20	Date of Most Recent Event	9(4)		IX	13313	U
	20	Requiring Cardiac					
		Rehabilitation (CCYYMMDD)	9(8)		R	157 16	4
	21	Treatment Diagnosis Code (ICD-9)	X(6)		L	165 17	
	22	Treatment Diagnosis (Narrative)	X(21)		Ĺ	171 19	
Ī	23	Filler (National Use)	$\frac{X(21)}{X}$		L	19219	
		1 11101 (1 141101141 000)	2 %			1/21/	_

See footnote C-22 for benefit coordination

A-28.6 Rev. 1747

$\frac{\text{REHABILITATIVE SERVICES RECORD}}{\text{RECORD TYPE 77, FORMAT R}}$

Format R describes the plan of treatment and certification for an outpatient rehabilitative service. It may be repeated for multiple disciplines.

Multiple rehabilitative disciplines can relate to one claim (identified by RT 20 or the ICN/DCN on RT 74), but formats A and R must be created for each discipline. For example, if you request information about PT and OT services, two pairs of formats A and R should be included in the transaction. All records, including narrative formats, relating to a specific rehabilitative discipline (e.g., PT) should be created and grouped sequentially before preceding to a new rehabilitative discipline (e.g., OT).

There is only one format A and one format R record for each discipline. They must occur in that order. Narrative records (format N) follow format R. When a second or subsequent discipline is necessary, the second or subsequent format A is submitted in sequence, followed by format R and, as necessary, format N records.

Fields 19 through 23 are for optional use for psychiatric services.

- o Must follow RT 77, format A.
- o May be followed by RT 77, format N.

If submitted with claim:

o May be followed by RT 80.

If submitted independent of claim:

o May be followed by RT 90.

REHABILITATIVE SERVICES RECORD RECORD TYPE 77, FORMAT R (Cont.)

	FIELD	FIELD NAME	PICTURE		ELD	POSITIO)N
	NO.	FIELD NAME	PICTURE		ECIFI- TION	FROM 7	ΓHRU
	1	Record Type '77'	XX		L	1	2
	2	Sequence Number	99		R	3 5 25	4 3
		Control Number (PCN)	X(20)		L	5	24 25
	4 5	Record Format - R	\mathbf{X}^{*}			25	
1	5	Discipline	XX	L	26	27	7
		Plan of Treatment (POT) (Fields 6 - 1	(2)				
	6 7	POT - Status (Initial/Update)	9(3)		R	28	30
	7	POT - Date Established	9(8)		R	31	38
		(CCYYMMDD)					
		POT - Period Covered (From - Throu	gh)				
	8	From Date (CCYYMMDD)	9(8)		R	39	46
	9	Through Date (CCYYMMDD)	9(8)		R	47	54
	10	Frequency and Duration					
		Frequency Number	9			55	55
'		Frequency Period	XX		L	56	57
		Duration	X(3)		L	58	60
	11	Estimated Date of Completion					
		of Outpatient Rehabilitation	9(8)		R	61	68
		(CCYYMMDD)					
	12	Service Status					
		(Continue/Discontinue)	9		_	69	69
	13	Certification Status	99		R	70	71
	14	Date of Last Certification	0 (0)		_		
		(CCYYMMDD)	9(8) X		R	72	79
	15	Route of Administration - IM	X			80	80
	16	Route of Administration - IV	$egin{array}{c} X \ X \end{array}$			81	81
	17	Route of Administration - PO	X			82	82
	18	Drug Administered	**(0.0)		-	0.2	
ı	4.0	(Narrative)	X(90)		L	83	172
	19		X		173	173	
	20	Filler (National Use)	X(19)			174 19	92

See footnote C-22 for benefit coordination.

A-28.8 Rev. 1747

$\frac{\text{REHABILITATIVE SERVICES RECORD}}{\text{RECORD TYPE 77, FORMAT N}}$

Format N supports the submission of narrative text by the provider.

- o Must follow RT 77, format R.
- o May be followed by RT 77, format N as directed below and, as appropriate, to your information requests and requirements.
 - o May be followed by RT 77, format A if multiple rehabilitative disciplines are submitted.

If submitted with claim:

o May be followed by RT 80.

If submitted independent of claim:

o May be followed by RT 90.

The type of narrative records requested/required by you follows the needs and requirements of all MR processes. Specify the necessary narrative types. Encourage providers to limit the text to information pertinent to the current plan of treatment.

All narrative records for each discipline should be grouped sequentially before proceeding to a subsequent discipline, noted by a format A record. For example, all PT narrative records should be completed before creating an OT sequence, beginning with a new format A. All records of a specific narrative type (e.g., functional goals) must be grouped together in sequential order. For example, all plan of treatment narrative (narrative type 04) for PT should be completed before beginning records for progress report (narrative type 05) for PT.

Multiple sequences of specific narrative types may be repeated to accommodate text information. (See '3908.2.C for an example of sequencing.) Narrative for an individual narrative type (e.g., 02 - initial assessment) can repeat up to but no more than three (3) times for a total of 456 bytes of information **except narrative type 05 (progress report)** which can repeat up to but no more than six (6) times for a total of 912 bytes of information.

FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITION		
NO.	TILLD WAVIE	TICTORE	CATION	FROM THRU		
1	Record type '77' Sequence number Patient Control Number	XX	L	1 2		
2	Sequence number	99	R	3 4		
3	Patient Control Number	X(20)	L	5 24		
4	Record Format - N	X	L	25 25		
5	Discipline	XX	$L = \overline{26}$	27		
6	Narrative Type Indicator	99	R	28 29		
7	Narrative Type Indicator Free Form Narrative	X(152)	L	30 181		
8	Filler (National Use)	X(11)'		182 192		

See footnote C-22 for benefit coordination.

RECORD TYPE 80 - 8N - PHYSICIAN DATA

- o May be preceded by RT 70 7N.
- o May be followed by RT 80, 81, or 90.

The sequence number for record type 80 can be 01 - 20. The 01 record is always for the primary payer. If the secondary payer uses a different physician identification numbering scheme from the primary payer, the provider shows the secondary payer's physician identification number on the 02 sequence record. If the tertiary payer uses a different physician identification numbering scheme from the primary or secondary payer, the provider shows the tertiary payer's physician identification number on the 03 sequence record. If a primary payer requests multiple physician numbers, sequence number 11 is used. If a secondary payer requests multiple physician numbers, sequence number 12 is used. If a tertiary payer requests multiple physician numbers, sequence number 13 is used. The sequences must match those on RT 30.

FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITI	
NO.			CATION	FROM	THRU
1	Record Type '80'	XX	L	1	2
2	Sequence	99	R	3	4
$\frac{2}{3}$	Patient Control Number	X(20)	L	5	24
4	Physician Number				
	Qualifying Codes	X(2)	L	25	26
5	Attending Physician Number	X(16)	L	27	42
6	Operating Physician Number	X(16)	L	43	58
7	Other Physician Number	X(16)	L	59	74
8	Other Physician Number	X(16)	L	75	90
9	Attending Physician Name**	X(25)	L	91	115
10	Operating Physician Name**	X(25)	L	116	140
11	Operating Physician Name** Other Physician Name**	X(25)	L	141	165
12	Other Physician Name**	X(25)	L	166	190
13	Filler (National Use)	X(2)		191	192

** On Medicare claims, Physician Name is broken down as follows:

Last Name Positions 1-16
First Name Positions 17-24
Middle Initial Position 25

Physician Number Qualifying Codes:

UP = UPIN

FI = Federal Taxpayer's Identification Number

SL = State License Number SP = Specialty License Number

XX= National Provider Identifier (NPI)

See footnote C-23 for benefit coordination.

RECORD TYPE 90 - CLAIM CONTROL SCREEN

- o May be preceded by RT 50 5N, 60 6N, 70 7N, or 80 8N.
- o Must be followed by RT 20, 74, 91, or 95.
- o If more than 105 characters are required for Form Locator 84, use RT 91 to report the additional characters and code a "1" in field 12 of RT 90. A "0" indicates that no RT 91 follows.

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITIO FROM	
1	Record Type '90'	XX	L 1	2	
2	Record Type '90' Filler (National Use)	XX	3	4	
2 3 4	Patient Control Number	X(20)	L	5	24
4	Physical Record Count	,			
	(Éxcluding RT 90 + 91)	9(4)	R	25	28
	Record Type nn Count (Fields 5-11)	()			
5	Record Type 2n Count	99	R	29	30
	Record Type 3n Count	99	R	31	32 34
6 7 8 9	Record Type 4n Count	99	R	33	34
8	Record Type 5n Count	9(3)	R	35	37
	Record Type 6n Count	9(3)	R	38	40
10	Record Type 7n Count	99 99 9	R	41	42
11	Record Type 8n Count	99	R	43	44 45
12	Record Type 91 Qualifier	9		45	45
13	Total Accommodation Charges				
	Revenue Centers	9(8)V99S	R	46	55
14	Noncovered Accommodation Charges	S -			
	Revenue Centers	9(8)V99S	R	56	65
15	Total Ancillary Charges				
	Revenue Centers	9(8)V99S	R	66	75
16	Noncovered Ancillary Charges -	. ,			
	Revenue Centers	9(8)V99S	R	76	85
17	Filler (National Use)	X(2)		86	87
18	Remarks	X(105)	\mathbf{L}	88	192

See footnote C-25 for benefit coordination.

RECORD TYPE 91 - REMARKS

- o Must be preceded by RT 90.
- o Must be followed by RT 20, 74, or 95.
- o The first 105 characters from Form Locator 84, Remarks, that are required to provide additional information on the claim must be entered on RT 90. If more than 105 characters are required, use field 4 of RT 91 to report them.

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITION FROM THRU
1 2 3 4	Record Type '91' Filler (National Use) Patient Control Number Remarks (Additional)	XX XX X(20) X(87)	L 1 3 L L	2 4 5 25 24 21
5	Filler (National Use)	X(81)		112 192

See footnote C-26 for benefit coordination.

A-32 Rev. 1796

RECORD TYPE 95 - PROVIDER BATCH CONTROL

- o Must be preceded by RT 90 or 91.
- o Must be followed by RT 10 or 99.

FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITIC	N
NO.			CATION	FROM 7	HRU
1	Record Type '95'	XX	L	1	2
2	Federal Tax Number (EIN)	9(10)	R	3	12
3	Receiver Identification	X(5)'	L	13	17
4	Receiver Sub-Identification	X(4)	L	18	21
5	Type of Batch	XXX	L	22	24
2 3 4 5 6 7	Number of Claims	9(6)	R	25	30
7	Number of 3M Batch Attachment	2 (5)	_		
0	Records	9(6)	R	31	36
8	Accommodations Total Charges	0/10/11000	70	25	40
0	for the Batch	9(10)V99S	R	37	48
9	Accommodations Noncovered	0/10/1/000	D	40	60
10	Charges for the Batch	9(10)V99S	R	49	60
10	Ancillary Total Charges	0(10)1/000	D	<i>(</i> 1	72
1 1	for the Batch	9(10)V99S	R	61	72
11	Ancillary Noncovered Charges for the Batch	9(10)V99S	R	73	84
12	Total Charges for Batch (COB only)	9(10)V99S	R R	85	96
13	Total Noncovered Charges for the	9(10) (993	K	63	90
13	Batch (COB only)	9(10)V99S	R	97	108
14	Reserve for Future Use	X(12)	L	109	120
15	Filler (National Use)	X(12) X(18)	L	121	138
16	Filler (Local Use)	X(54)		139	192
10	Tiller (Local Obe)	21(31)		137	1/4

See footnote C-27 for benefit coordination.

RECORD TYPE 99 - FILE CONTROL

- Must be preceded by RT 95. 0
- Must be last valid record on file.

FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITIO	N
NO.	FIELD NAME	FICTURE	CATION	FROM T	THRU
1	Record Type '99'	XX	L	1	2
2 3 4	Submitter EIN	9(10)	R	3	12
3	Receiver Identification	X(5)	L	13	17
4	Receiver Sub-	37/4)	т	1.0	21
5	Identification	X(4)	L	18	21
	Number of Batches Billed this File	9999	R	22	25
6	Accommodations Total Charges for the File	9(11)V99S	R	26	38
7	Accommodations Noncovered Charges for the File	9(11)V99S		39	51
8	Ancillary Total Charges)(11) (7)3	K	3)	31
	for the File	9(11)V99S	R	52	64
9	Ancillary Noncovered Charges for the File	9(11)V99S		65	77
10	Total Charges for the File (COB only)	9(11)V99S	R	78	90
11	Total Noncovered Charges for the File (COB only)	9(11)V99S	R	91	103
12	Number of Claims for the File (COB only)	9(8)	R	104	111
13	Number of Records for the File (COB only)	9(8)	R	112	119
14	Filler (National Use)	X(16)	IX.	120	135
15	Filler (Local Use)	X(57)		136	192

See footnote C-28 for benefit coordination.

A-34 Rev. 1813

Footnotes for Benefit Coordination

These footnotes reference the use of UB-92 claim records for coordination of benefits (COB). The remaining records used for COB (RT 02, 42, 51, 52, 62-64, 92, 93, and 98) are found in a Medicare Intermediary Program Memorandum released July 1996. Except where noted below, UB-92 claim records are used in the same fashion as specified in pages A-1 through A-34. Unless noted below, use Addendum B for all field definitions for UB-92 claim records, including those which are designated for COB specific information.

The COB file must be written as an outbound file in strict record type (primary), record sequence (secondary), and service (revenue code - tertiary) sequence.

C-1 RT 01 - Processor Data

Record Usage: Mandatory

Format Notes:

- o Only one RT 01 can be written per file submission.
- o Must be followed by RT 02

Field Notes:

Field 2 - Submitter EIN - Mandatory

If COB file is outbound from a Medicare contractor, use the "Medicare

Contractor ID Number."

Field 3 - Multiple Provider Billing File Indicator: Optional

Field 6 - (Receiver Identification) and field 7 (Receiver Sub-Identification):

- Combine to display the same data as the COB eligibility file on RT E00 and

E01.

- Use National Association of Insurance Commissioners (NAIC) number if available.
- If no NAIC number is available, use NZZZZZSSS.

C-2 RT 10 - Provider Data

Record Usage: Mandatory - data available

Format Notes:

- o This record must be present for each provider batch combination.
- o Must follow either RT 02 or 95.

Field Notes:

Field 2 - Type of Batch: Batch by first two characters of Type of Bill.

Field 4 - Provider Federal Tax Number or EIN: Mandatory

C-3 RT 20-2N - Patient Data

Record Usage: Mandatory

Format Notes:

Must follow RT 10, 92, or 93.

o Do not repeat RT 10, if multiple patient claims for same provider (unless batching by type of bill).

o All records following up through RT 93 must have the same patient control number.

Field Notes:

Field 9 - Marital Status: Optional

Fields 18 (Admission Hour) and 22 (Discharge Hour): Optional

<u>C-4</u> <u>RT 21 - Non-insured Employment Information</u>

Record Usage: Optional

Field Notes:

Fields 9a and 16a (Employer Qualifier): See definition in Addendum B.

Field 9 - Patient Marital Status: Optional Field 18 - Admission Hour: Optional Field 22 - Discharge Hour: Optional

<u>C-5</u> <u>RT 22 - Unassigned State Form Locators</u>

Record Usage: Optional

Format Notes:

- o If record received by Medicare, it will not be edited, but it must be passed through to the next payer.
 - o Must follow RT 20, 21, or 22.
 - o May be followed by RT 22 or 30.

<u>C-6</u> <u>RT 30 - Third Party Payer Data</u>

Record Usage: Mandatory

Format Notes:

o May follow RT 20, 21, 22, or 30.

Field Notes:

Field 4 - Source of Payment Code: For Medicare, use C if outbound file.

Field 9 - Payer Code: When Medicare is primary, use "Z".

<u>C-7</u> <u>RT 31 - Third Party Payer Data</u>

Record Usage: Mandatory

Format Notes:

o Mandatory record for Medicare. Optional for other payers.

Field Notes

Field 14 - Form Locator 37 ICN/DCN: This is always the original claim submitted ICN/DCN even if an adjustment claim is being processed.

C-8 RT 32 - Third Party Payer Data

Record Usage: Optional

Format Notes:

o Mandatory for Medicare. Optional for other payers.

A-36 Rev. 1707

<u>C-9</u> <u>RT 34 - Authorization</u>

Record Usage: Optional

Format Notes:

- o Record is required for Medicare submissions for investigational device exemption (IDE) claims.
- o If the record is received for non-IDE claims, Medicare will not edit, but pass on, unchanged, to other payers.

C-10 RT 40 - Claim Data TAN Occurrence

Record Usage: Mandatory

Format Notes:

o May be followed by RT 40, 41, 42, 50, 60, or 61.

Field Notes:

Field 4 - Type of Bill: When used in conjunction with a revenue code, and possibly a HCPCS code, when present, could indicate the type of medical service rendered.

C-11 RT 41 - Claim Data Condition Value

Record Usage: Mandatory if data present

Format Notes:

o May be followed by RT 41, 42, 50, 60, or 61.

Field Notes:

Field 14 - Form Locator 31 (upper): Optional Field 15 - Form Locator 31 (lower): Optional

C-12 RT 50 - IP Accommodations Data

Record Usage: Mandatory for inpatient bills if data present

Format Notes:

o Do not write revenue code 001 in this record. Totals for all accommodation revenue code submitted charges for the claim should be reflected in RT 90, field 13 (Total Accommodation Charges) and RT 92, field 6 (Total Submitted Charges). Total non-covered charges should be reflected in RT 90, field 14 (Noncovered Accommodation Charges) and RT 92, field 7 (Total Noncovered Charges).

Field Notes:

Field 14 - Form Locator 49: Optional

C-13 RT 60 - IP Ancillary Services Data

Record Usage: Mandatory for IP bills only, if data present

Format Notes:

- o May be preceded by RT 40, 41, 42, 50-5n, or 60.
- o May be followed by RT 60, 62-64, or 70.

o Do not send revenue code 001 in this record. The total submitted and noncovered charges for all ancillary revenue codes for the claim should be reflected in RT 90, fields 15 (Total Ancillary Charges) and 16 (Noncovered Ancillary Charges) and RT 92, fields 6 (Total Submitted Charges) and 7 (Total Noncovered Charges).

<u>C-14</u> <u>RT 61 - Outpatient Procedures</u>

Record Usage: Mandatory for outpatient procedures

Format Notes:

o May be preceded by RT 40, 41, 42, or 61.

o Do not send revenue code 001 in this record. The total submitted and noncovered charges for all procedure codes for the claim should be reflected in RT 90, fields 15 (Total Ancillary Charges Revenue Centers 220-99X) and 16 (Noncovered Ancillary Charges Revenue Centers 220-99X) and RT 92, fields 6 (Total Submitted Charges) and 7 (Total Noncovered Charges).

Field Notes:

Field 9 - Date of Service: Optional Field 12 - Form Locator 49: Optional

C-15 RT 70 - Medical Data (sequence 01 and 02)

Record Usage: Sequence 01 Mandatory
Sequence 02 Optional

Format Notes:

o RT 70, sequence 02 must follow RT 70, sequence 01.

o May be followed by Rt 71-73, 75, 76, 77, or 80.

Field Notes:

Sequence 02, field 5 - Form Locator 57: Optional

<u>C-16</u> <u>RT 71 - Plan of Treatment and Patient Information</u>

Record Usage: Optional

C-17 RT 72 - Specific Services and Treatments

Record Usage: Optional

<u>C-18</u> <u>RT 73 - Plan of Treatment/Medical Update Narrative</u>

Record Usage: Optional

<u>C-19</u> <u>RT 74 - Patient Information</u>

Record Usage: Optional

Format Notes:

o RT 74 is used in submitting 3M batch attachments. If the attachment records are matched to a claim prior to adjudication, they should be passed through to the next payer.

A-38 Rev. 1707

C-20 RT 75 - Medical Documentation for Ambulance Claims

Record Usage: Optional

C-21 RT 76 - ESRD Medical Documentation

Record Usage: Optional for formats L and M

C-22 RT 77 - Plan of Treatment for Outpatient Rehabilitation

Record Usage: Optional for formats A, R, and N

RT 80 - Physician Data C-23

Record Usage: Mandatory

Format Notes:

Only one physician numbering scheme can be used per RT 80 sequence number.

Not in use formerly used for RT 81 - Pacemaker Registry C-24

C-25 RT 90 - Claim Control Screen

Record Usage: Mandatory

Format Usage:

May followed by RT 91 or 92.

RT 91 - Claim Remarks C-26

Record Usage: Optional

Format Notes:

Must be followed by RT 92.

Field Notes:

Field 4 - Remarks: Optional. If present, retain and pass on to next payer.

<u>C-27</u> RT 95 - Provider Batch Control

Record Usage: Mandatory

Format Notes:

May be preceded by RT 92 or 93. May be followed by RT 10 or 98.

Field Notes:

Field 2 Submitter EIN - Mandatory If COB file is outbound from a Medicare contractor, use the "Medicare Contractor ID Number."

Fields 3 (Receiver Identification) and 4 (Receiver Sub-Identification): Values are equal to RT 01, fields 6 (Receiver Identification) and 7(Receiver Sub-Identification).

Field 6 - Total Number of Claims: Total number of each RT 20 in batch. Field 12 - Total Charges for the Batch: Sum of RT 95, fields 8 (Accommodations Total Charges for the Batch) and 10 (Ancillary Total Charges for the Batch).

Field 13 - Total Noncovered Charges for the Batch: Sum of RT 95, fields 9 (Accommodations Noncovered Charges for the Batch) and 11 (Ancillary Noncovered Charges for the Batch).

RT 99 - File Control C-28

Record Usage: Mandatory

Format Notes:

May be follow RT 95 or 98.

Field Notes:

Field 2 Submitter EIN - Mandatory

If COB file is outbound from a Medicare contractor, use the "Medicare

Contractor ID Number."

Fields 3 (Receiver Identification) and 4 (Receiver Sub-Identification):

Combine to display the same data as the COB eligibility file on RT E00 and

E01.

Use National Association of Insurance Commissioners (NAIC) number, if

available.

If no NAIC number is available, use NZZZZZSSS.

Field 10 - Total Charges for the File: Sum of RT 99, fields 6 (Accommodations Total Charges for the File) and 8 (Ancillary Total Charges for the File).

Field 11 - Total Noncovered Charges for the File: Sum of RT 99, fields 7 (Accommodations Noncovered Charges for the File) and 9 (Ancillary Noncovered Charges for the File).

Field 12 - Number of Claims for the File: Total number of each RT 20 in the file.

Field 13 - Number of Records for the File: Total number of records in the file from RT 01 through 99.

A-40Rev. 1747

6. Coordination of Benefits Records

COB - I/O RECORDS

RECORD TYPE 02 - ADDITIONAL COB INFORMATION

**** MANDATORY RECORD - FOR COB ****

- This record used for additional COB information. o
- This record can also be used for single or multiple chain Provider Chain Identification 0 occurrences.
- Must follow RT 01 or 98. o
- Must be followed by RT 10. 0

		FIELD			POSITION	
FIEL	LD NO.	FIELD NAME PICTU	RE	SPECIFI- CATION		THRU N1
	1	Record Type >02'	XX	L	1	2
N2	2	Provider Chain ID, TAX, or EIN#	X(6)	L	3 9	8
		3 Provider Chain Sub ID	X(5)	L	9	13
		4 Filler - (National Use)	X(5)		14	18
		5 Provider Chain Name (sender)	X(25)	L	19	43
		6 Provider Chain Address	X(25)	L	44	68
		7 Provider Chain City	X(14)	L L	69	82
		8 Provider Chain State	X(2)	L	83	84
		9 Provider Chain Zip Code	X(9)	L	85	93
		10 Billing Cycle Century				
		(CCYYMMDD) 9(8)			94 101	
		11 Application Version	X(6)	L	102	107
		12 Data Indicator	X		108	108
		13 Intermediary Number	9(10)	R	109	118
N3		14 COB Identification	$\frac{\mathbf{X}(4)}{\mathbf{X}}$	L	119	122
		15 Filler - (National Use)	X		123	123
N4		16 Process Date This File Covers				
		(From Date - CCYYMMDD)	9(8)	R	124	131
N4	17	Process Date This File Covers		_		
		(Thru Date - CCYYMMDD)	9(8)	R	132	139
		18 Filler - (National Use)	X(26)		140	165
		19 Filler - (State Use)	X(27)		166	192

N1 Need to create at least 1 RT02 for each file. NOTE:

Do not complete FL 2 - 9 when there is no Chain provider present. FL 10-17 are MANDATORY. If Tax ID is longer than 6 spaces, use FL 3. N2 NOTE:

N3 COB Identification - ACOBA@ NOTE:

Process Date is From and Through Dates from Remittance Advice. N4 NOTE:

Rev. 1747 A-41

CLAIM CHANGE REASON CODE

RECORD TYPE 42

***** OPTIONAL RECORD *****

- o Sequence number represents the number of iterations of RT 42.
- o This is a new record that follows the reason code structure of the ASC X12N 835 Remittance/Payment Transaction Set.
- o May follow RT 40 or RT 41 or RT 42.
- o May be followed by RT 42 or RT 50 or RT 60 or RT 61.
- o Payer Sequence 01 represents the primary payer, Payer Sequence 02 represents the secondary payer, and Payer Sequence 03 represents the tertiary payer.

FIELD NO.	FIELD NAME	FIELD PICTURE S	SPEC	POSITION	
TIEEE TYO.	1122 111112	CATIO		FROM THRU	
1	Record Type >42'	X(2)	L	1	2
2	Sequence Number	9(2)	R	3	4
3	Payer Sequence	99 ^	R	3 5 7	6
4	Patient Control Number	X(20)	L	7	26
5	Group Code	X(2)	L	27	28
6	Reason Code - 1	X(3)	L	29	31
2 3 4 5 6 7 8 9	Adjustment Amount - 1	S9(7)V99	R	32	40
8	Adjustment Quantity - 1	S9(5)	R	41	45
9	Reason Code - 2	X(3)	L	46	48
10	Adjustment Amount - 2	S9(7)V99	R	49	57
11	Adjustment Quantity - 2	S9(5)	R	58	62
12	Reason Code - 3	X(3)	L	63	65
13	Adjustment Amount - 3	S9(7)V99	R	66	74
14	Adjustment Quantity - 3	S9(5)	R	75	79
15	Reason Code - 4	X(3)	L	80	82
16	Adjustment Amount - 4	S9(7)V99	R	83	91
17	Adjustment Quantity - 4	S9(5)	R	92	96
18	Adjustment Quantity - 4 Reason Code - 5	X(3)	L	97	99
19	Adjustment Amount - 5	S9(7)V99	R	100	108
20	Adjustment Quantity - 5	S9(5)	R	109	113
21	Reason Code - 6	X(3)	L	114	116
22	Adjustment Amount - 6	S9(7)V99	R	117	125
23	Adjustment Quantity -6	S9(5)	R	126	130

A-42 Rev. 1747

CLAIM CHANGE REASON CODE (cont.)

RECORD TYPE 42

*****OPTIONAL RECORD*****

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITION FROM THRU
24	MIA/MOA Remark Code-1	X(5)	L	131 135
25	MIA/MOA Remark Code-2	X(5)	L	136 140
26	MIA/MOA Remark Code-3	X(5)	L	141 145
27	MIA/MOA Remark Code-4	X(5)	L	146 150
28	MIA/MOA Remark Code-5	X(5)	L	151 155
29	Filler (National Use)	X(37)		156 192

Comment: This is a payer generated Record Type and is not created by the provider.

NOTE: Mandatory for Medicare if ASC X12N 835 Remittance Reason Codes used in claims processing. Reason code values and amounts should be the same as those applied to the ANSI ASC X12N 835 Remittance.

IP ACCOMMODATIONS LINE ITEM REMARKS CODES RECORD TYPE 51

*****MANDATORY IF LINE LEVEL REMARKS CODES ARE PRESENT****

- o May follow RT 50, RT 51, or RT 52.
- o May be followed by RT 50, RT 51, RT 52, RT 60, or RT 70.
- o RT 51 should use the same sequence number as the corresponding RT 50.
- o The sequence number for RT 51 can go from 001 to 999.
- The payer sequence $\Box 01'$ would represent the Primary Payer, payer sequence $\Box 02'$ represent the Secondary Payer, and payer sequence $\Box 03'$ would represent the Tertiary Payer.
 - o The revenue code sequence shows which of the four occurrences of revenue code on RT 50 is being referenced. Valid values are 1 through 4.
 - The COB record type sequence references the order of this record where there are multiple occurrences (one claim line can generate multiple RT 51's). Valid values are 1 through 4.

FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITION	
NO.	FIELD NAME	TICTURE	CATION	FROM	ΓHRU
1	Record Type '51'	XX	L	1	2
2	Sequence Number	9(3)	R	3	5
3	Payer Sequence	99 ′	R	6	7
4	Patient Control Number	X(20)	L	8	27
5	Accommodation Revenue Code	9(4)	R	28	31
6	Remarks Code 1	X(4)	L	32	35
7	Remarks Code 2	X(4)	L	36	39
8	Remarks Code 3	X(4)	L	40	43
9	Remarks Code 4	X(4)	L	44	47
10	Remarks Code 5	X(4)	L	48	51
11	Remarks Code 6	X(4)	L	52	55
12	Remarks Code 7	X(4)	L	56	59
13	Remarks Code 8	X(4)	L	60	63
14	Remarks Code 9	X(4)	L	64	67
15	Remarks Code 10	X(4)	L	68	71
16	Revenue Code Sequence	9 ` ′	R	72	72
17	COB Record Type Sequence	9	R	73	73
18	Filler (National Use)	X(119)		74	192

A-44 Rev. 1800

INPATIENT ACCOMMODATION REASON CODES

RECORD TYPE 52

*****MANDATORY IF LINE LEVEL REASON CODES ARE PRESENT*****

- May follow RT 50, RT 51, or RT 52. 0
- May be followed by RT 50, RT 52, RT 60, or RT 70. o
- Use RT 52 for IP accommodations 0
- RT 52 should use the same sequence number as the corresponding RT 50. 0
- The sequence number for RT 52 can go from 001 to 999. o
- The payer sequence '01' would represent the Primary Payer, payer Sequence '02' would represent the Secondary Payer, and payer sequence '03' would represent the Tertiary Payer. o
- The revenue code sequence shows which of the four occurrences of the revenue code on RT 50 is being referenced. Valid values are 1 through 4.
- o COB record type sequence references the order of this record where there are multiple occurrences (one claim line can generate multiple RT 52's). Valid values are 1 through 4.

FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITION
NO.	TIEED NAME	TICTORE	CATION	FROM THRU
	D 1T 52	VV	т	1 2
2	Record Type 52 Sequence Number	XX 9(3)	L R	$\begin{array}{ccc} 1 & 2 \\ 3 & 5 \\ 6 & 7 \end{array}$
3	Payer Sequence	99	R	6 7
2 3 4	Patient Control Number	X(20)	L	8 27
5	Revenue Code	9(4)	Ĺ	28 31
6	Group Code	$\hat{X}(2)$	Ĺ	32 33
7	Reason Code 1	X(3)	Ĺ	34 36
8	Adjustment Amount 1	9(7)V99S	Ř	37 45
9	Adjustment Quantity 1	9(5)S	R	46 50
10	Reason Code 2	X(3)	Ĺ	51 53
11	Adjustment Amount 2	9(7)V99S	R	54 62
12	Adjustment Quantity 2	9(5)S	R	63 67
13	Reason Code 3	X(3)	L	68 70
14	Adjustment Amount 3	9(7)V99S	R	71 79
15	Adjustment Quantity 3	9(5)S	R	80 84
16	Reason Code 4	X(3)	L	85 87
17	Adjustment Amount 4	9(7)V99S	R	88 96
18	Adjustment Quantity 4 Reason Code 5	9(5)S	R	97 101
19		X(3)	L	102 104
20	Adjustment Amount 5	9(7)V99S	R	105 113
21	Adjustment Quantity 5 Reason Code 6	9(5)S	Ŗ	114 118
22	Reason Code 6	X(3)	L	119 121
23	Adjustment Amount 6	9(7)V99S	R	122 130
24	Adjustment Quantity 6	9(5)S	R	131 135
25	Revenue Code Sequence	9`	R	136 136
26	COB Record Type Sequence	9 V(55)	R	137 137
27	Filler (National Use)	X(55)		138 192

Rev. 1800 A-45

ANCILLARY OR OP ITEM REMARKS CODES

RECORD TYPE 62

- o May follow RT 60, RT 61, RT 62, or RT 63.
- o May be followed by RT 60, RT 61, RT 62, RT 63, or RT 70.
- o RT 62 should use the same sequence as the corresponding RT 60 or RT 61.
- o The sequence number for RT 62 can go from 001 to 999.
- The payer sequence $\Box 01'$ would represent the Primary Payer, payer sequence $\Box 02'$ represent the Secondary Payer, and payer sequence $\Box 03'$ would represent the Tertiary Payer.
 - o The revenue code sequence shows which of the three occurrences of the revenue code on RT 60 or 61 is being referenced. Valid values are 1 through 3.
 - o COB record type sequence references the order of this record where there are multiple occurrences (one claim line can generate multiple RT 62's). Valid values are 1 through 4.

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	POSITIO FROM T	ON THRU
- 1	Record Type '62'	VV	T	1	
2	Record Type '62' Sequence Number	9(3)	R R	2	<u> </u>
$\frac{2}{3}$	Payer Sequence	9(3) 99	R R	<i>5</i>	<i>3</i> 7
<i>3</i>	Patient Control Number		IV.	6	27
4	Patient Control Number	X(20)	L	8	27
2	Revenue Code	9(4)	Ŗ	28	31
6	Remarks Code 1	X(4)	L	32	35
7	Remarks Code 2	X(4)	L	36	39
8	Remarks Code 3	X(4)	L	40	43
9	Remarks Code 4	X(4)	L	44	47
10	Remarks Code 5	X(4)	L	48	51
11	Remarks Code 6	X(4)	Ī	52	55
12	Remarks Code 7	$\overrightarrow{X}(4)$	Ĩ.	56	59
13	Remarks Code 8	X(4)	Ĩ.	60	63
14	Remarks Code 9	$\mathbf{X}(\mathbf{A})$	Ĭ	64	67
15	Remarks Code 10	$\mathbf{V}(A)$	Ĭ	68	71
16		$\Lambda(4)$	$\frac{L}{R}$	73	73
	Revenue Code Sequence	9			
17	COB Record Type Sequence	y	R	74	74
18	Filler (National Use)	X(119)		74	192

A-46 Rev. 1800

ANCILLARY OR OP REASON CODES

RECORD TYPE 63

*****MANDATORY RECORD IF LINE LEVEL REASON CODES ARE PRESENT***

May follow RT 60, RT 61, RT 62 or RT 63. 0

ADDENDUM A (Cont.)

- Use RT 63 for IP ancillary or OP line level reason codes. o
- RT 63 should use the same sequence number as the corresponding RT 60 or 61. 0
- The sequence number for RT 63 can go from 001 to 999. 0
- The payer sequence $\Box 01$ ' would represent the Primary payer, payer sequence $\Box 02$ ' would represent the Secondary payer, and payer sequence $\Box 03$ ' would represent the Tertiary o Paver.
- The revenue code sequence shows which of the three occurrences of revenue code on RT 60 0 or 61 is being referenced. Valid values are 1 through 3.
- COB record type sequence references the order of this record where there are multiple 0 occurrences (one claim line can generate multiple RT 63's). Valid values are 1 through 4.

FIELD	FIELD NAME	PICTURE	FIELD SPECIFI-	POSITION	
NO.			CATION	FROM T	HRU
1	Record Type 63	XX	ŗ	1	2
2 3 4 5	Sequence Number	9(3)	R	3 6	2 5 7
3	Payer Sequence	99 ′ W(20)	R	6	/
4	Patient Control Number	X(20)	L	8	27
5	Revenue Code	9(4)	R	28	31
6	Group Code	X(2)	L	32	33
7	Reason Code 1	X(3)	L	34	36
8	Adjustment Amount 1	9(7)V99S	R	37	45
9	Adjustment Quantity 1	9(5)S	R	46	50
10	Reason Code 2	X(3)	L	51	53
11	Adjustment Amount 2	9(7)V99S	R	54	62
12	Adjustment Quantity 2	9(5)S	R	63	67
13	Reason Code 3	X(3)	L	68	70
14	Adjustment Amount 3	9(7)V99S	R	71	79
15	Adjustment Quantity 3	9(5)S	R	80	84
16	Reason Code 4	X(3)	L	85	87
17	Adjustment Amount 4	9(7)V99S	R	88	96
18	Adjustment Quantity 4	9(5)S	R	97	101
19	Reason Code 5	X(3)	L	102	104
20	Adjustment Amount 5	9(7)V99S	R	105	113
21	Adjustment Quantity 5	9(5)S	R	114	118
22	Reason Code 6	X(3)	L	119	121
23	Adjustment Amount 6	9(7)V99S	R	122	130
24 25	Adjustment Quantity 6	9(5)S	R	131	135
25	Revenue Code Sequence	9	R	136	136
26	COB Record Type Sequence Filler (National Use)	9	R	137	137
27	Filler (National Use)	X(55)		138	192
Rev. 1800					A-47

BILL REVIEW

07 - 00

CLAIM CONTROL TOTALS

RECORD TYPE 92

*** MANDATORY RECORD ***

- o May follow RT 90, RT 91 or RT 92.
- o May be followed by RT 20, 92, 93 or RT 95
- o This Record Type is used ONLY for OUT Bound COB Bills
- o If there is an Inpatient DRG bill, RT 51 and 61 will not be present because the DRG amount paid is at a claim level, rather than at an individual revenue code level.

o Sequence 01 represents the primary payer, sequence 02 represents the secondary payer, and sequence 03 represents the tertiary payer.

FIELD NO.	FIELD NAME	PICTURE	FIELD SPECIFI- CATION	CIFI-	
1 2 3 N1 4 5 N2 6 N3 7 8 9 10 11 N4 12 13 14 15 16 17 18 N5 19 20 21	Record Type '92' Sequence Number Patient Control Number Current DCN/ICN Filler - (National Use) Total Submitted Charges Total Non-covered Charges Total Charges Allowed Total Medicare Reimbursement Total Amount Medicare PaidProvider Total Amount Paid Beneficiary Total Medicare Days Utilized DRG/APC Assigned via Grouper DRG/APC Amount Applied via Price DRG Outlier Amount Total Denied Charges Cost Report Days Lifetime Psychiatric Days Claim Status Reimbursement Rate (%) Claim Paid Date (CCYYMMDD)	9(8)V99S 9(4) 999 er 9(8)V99S 9(8)V99S 9(8)V99S 999S XX 9(4)V999 9(8)	L R L R R R R R R R R R R R R R	1 3 5 25 48 54 64 74 84 94 104 114 118 121 131 141 151 154 157 159 166	2 4 24 47 53 63 73 83 93 103 113 117 120 130 140 153 156 158 165 173
$\frac{1}{22}$	Filler (National Use)	X(19)		174	192

N1 NOTE: This is the claim ICN/DCN currently being processed.

N2 NOTE: Sum of RT 90 FL 13/15

N3 NOTE: Sum of RT 90 FL 14/16

N4 NOTE: Same as RT 30 FL 20-covered days

N5 NOTE: Claim Status Codes-Refer to ANSI X12 codes.

A-4	48
ΩA_{-}	QΩ

CLAIM CONTROL TOTALS

RECORD TYPE 93

*** OPTIONAL RECORD ***

- o Must be preceded by RT 92.
- o May be followed by RT 20 or RT 93 or RT 95.
- o This Record Type is used ONLY for OUT Bound COB Bills.
- o If there is an Inpatient DRG bill, RT 51 or 62 will not be present because the DRG amount paid is at a claim level, rather than at an individual revenue code level.
- o Sequence 01 represents the primary payer, sequence 02 represents the secondary payer, and sequence 03 represents the tertiary payer.

FIELD NO	EIELD MANG	DICTUDE	FIELD	POSITION FROM THRU	
FIELD NO.	FIELD NAME	PICTURE	SPECIFI- CATION		
1	Record Type >93'	XX	L	1	2
2	Sequence Number	99	R	3	4
3	Patient Control Number	X(20)	L	5	24
4	Allowed Charges Medicare				
	Paid at 100%	9(8)V99S	R	25	34
5	Allowed Charges Medicare				
	Paid at 80%	9(8)V99S	R	35	44
6	Paid From Part A Medicare				
	Trust Fund	9(8)V99S	R	45	54
7	Paid From Part B Medicare				
	Trust Fund	9(8)V99S	R	55	64
8	Filler - (National Use)	X(128)		65	192

RECORD TYPE 98

OPTIONAL RECORD

o May be followed by RT 02 or RT 99.

FIELD NO.		FIELD NAME	PICTURE	FIELD	POSITION	
				SPECIFI- CATION	FROM	THRU
	1	Record Type >98'	XX	L	1	2
	2 3 4 5 6	Filler - (National Use)	9(10)		3	12
N1	3	Provider Chain ID	$\mathbf{X}(6)'$	L	13	18
	4	Provider Chain Sub-ID	X(5) X	L	19	23
	5	Filler - (Local Use)	X		24	24
	6	Total Number of Provider				
		Chain Claims	9(6)	R	25	30
	7	Filler - (National Use)	X(6)		31	36
	8					
			9(10)V99S	R	37	48
	9					
			9(10)V99S	R	49	60
	10	Ancillary Total Charges				
		for Provider Chain	9(10)V99S	R	61	72
	11	Ancillary Noncovered Charges				
			9(10)V99S	R		
	12		9(10)V99S	R	85	96
N3	13					
				R		
				L		
	16	Filler - (Local Use)	X(54)		139	192
N2 N3	8 9 10 11 12 13 14 15 16	Accommodations Total Charges for the Provider Chain Accommodations Noncovered Charges for Provider Chain Ancillary Total Charges for Provider Chain Ancillary Noncovered Charges for Provider Chain Total Charges for Provider Chain Total Noncovered Charges for Provider Chain Reserved for Future Use Filler - (National Use) Filler - (Local Use)	9(10)V99S 9(10)V99S 9(10)V99S 9(10)V99S 9(10)V99S X(12) X(18) X(54)	R R R R R L	37 49 61 73 85 97 109 121 139	48 60 72 84 96 108 120 138 192

N1 NOTE: Chain Provider is Mandatory. Must be the same as RT 02, FL 02 and FL 03.

N2 NOTE: Total Charges are the sum of FL 08 and FL 10.

N3 NOTE: Total Noncovered Charges are the sum of FL 09 and FL 11.

A-50 Rev. 1743